


# 1-Way Assemblies

Designed to accommodate all traffic signals, with the exception of optically programmed. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size mast arm or pole.




## Astro-Brac Assy, Stellar Series, 1-Way Band Mount

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0116 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 29=29" Band          | PNC=Process No Color |
| 2=2 Sec                        | 36=36" Band          | P__=Paint            |
| 3=3 Sec                        | 42=42" Band          |                      |
| 4=4 Sec                        | 48=48" Band          |                      |
| 5=5 Sec                        | 56=56" Band          |                      |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0116-3-29-SS-PNC.




## Astro-Brac Assy, Stellar Series, 1-Way Cable Mount

| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0125 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 2=2 Sec                        | 84=84" Cable         | P__=Paint            |
| 3=3 Sec                        | 96=96" Cable         |                      |
| 4=4 Sec                        |                      |                      |
| 5=5 Sec                        |                      |                      |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0125-3-62-SS-PNC.



## Astro-Brac Assy, Stellar Series, 1-Way Tenon Mount 1-15/16" to 4-1/2" OD Pole

| Signal Section                 | Coating              |
|--------------------------------|----------------------|
| AS-0137 - <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | PNC=Process No Color |
| 2=2 Sec                        | P__=Paint            |
| 3=3 Sec                        |                      |
| 4=4 Sec                        |                      |
| 5=5 Sec                        |                      |




Note:

Stainless steel upgrade available: includes stainless slotted washer. Specify by including -SS in the part number, i.e., AS-0137-3-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# 1-Way Assemblies

Designed to accommodate all traffic signals, with the exception of optically programmed. The Tallon Series Astro-Brac is designed to be tough and durable. It features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size mast arm or pole.



Astro-Brac




## Astro-Brac Assy, Tallon Series, 1-Way Band Mount

|         | Signal<br>Section |                      | Band<br>Length |                      | Coating                |
|---------|-------------------|----------------------|----------------|----------------------|------------------------|
| AB-0618 | -                 | <input type="text"/> | -              | <input type="text"/> | - <input type="text"/> |
|         | 1=1 Sec           |                      | 29=29" Band    |                      | PNC=Process No Color   |
|         | 2=2 Sec           |                      | 36=36" Band    |                      | P__=Paint              |
|         | 3=3 Sec           |                      | 42=42" Band    |                      |                        |
|         | 4=4 Sec           |                      | 48=48" Band    |                      |                        |
|         | 5=5 Sec           |                      | 56=56" Band    |                      |                        |



Note:  
Stainless steel upgrade available: includes stainless clamp screw and slotted washer.  
Specify by including -SS in the part number, i.e., AB-0618-3-29-SS-PNC.



## Astro-Brac Assy, Tallon Series, 1-Way Cable Mount

|         | Signal<br>Section |                      | Cable<br>Length |                      | Coating                |
|---------|-------------------|----------------------|-----------------|----------------------|------------------------|
| AB-0617 | -                 | <input type="text"/> | -               | <input type="text"/> | - <input type="text"/> |
|         | 1=1 Sec           |                      | 62=62" Cable    |                      | PNC=Process No Color   |
|         | 2=2 Sec           |                      | 84=84" Cable    |                      | P__=Paint              |
|         | 3=3 Sec           |                      | 96=96" Cable    |                      |                        |
|         | 4=4 Sec           |                      |                 |                      |                        |
|         | 5=5 Sec           |                      |                 |                      |                        |




Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AB-0617-3-62-SS-PNC.

pelco

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# 1-Way Horizontal Assemblies

The Astro-Brac easily adapts to mount signals horizontally from a mast arm. When adjustments for skewed angles are necessary, the articulating bracket is a must.



## Astro-Brac Assy, Stellar Series, 1-Way Horizontal Band Mount

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0124 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 29=29" Band          | PNC=Process No Color |
| 2=2 Sec                        | 36=36" Band          | P__=Paint            |
| 3=3 Sec                        | 42=42" Band          |                      |
| 4=4 Sec                        | 48=48" Band          |                      |
| 5=5 Sec                        | 56=56" Band          |                      |



Note:  
Stainless steel upgrade available: includes stainless clamp screw and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0124-3-29-SS-PNC.



## Astro-Brac Assy, Stellar Series, 1-Way Horizontal Cable Mount

| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0194 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 2=2 Sec                        | 84=84" Cable         | P__=Paint            |
| 3=3 Sec                        | 96=96" Cable         |                      |
| 4=4 Sec                        |                      |                      |
| 5=5 Sec                        |                      |                      |



Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0194-3-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.


# Articulated Serrated Assemblies

The Articulated Serrated Series of Astro-Brac can handle even the toughest signal alignment problems. The internal wiring capability and 3 axis of adjustability make this system truly universal.



Astro-Brac

## Astro-Brac Assy, Articulated Serrated, Band Mount




| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AB-0153 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 29=29" Band          | PNC=Process No Color |
| 2=2 Sec                        | 36=36" Band          | P__=Paint            |
| 3=3 Sec                        | 42=42" Band          |                      |
| 4=4 Sec                        | 48=48" Band          |                      |
| 5=5 Sec                        | 56=56" Band          |                      |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AB-0153-3-29-SS-PNC.

## Astro-Brac Assy, Articulated Serrated, Cable Mount




| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AB-0150 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 2=2 Sec                        | 84=84" Cable         | P__=Paint            |
| 3=3 Sec                        | 96=96" Cable         |                      |
| 4=4 Sec                        |                      |                      |
| 5=5 Sec                        |                      |                      |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AB-0150-3-62-SS-PNC.

## Astro-Brac Assy, Articulated Serrated, Tenon Mount 1-15/16" to 4-1/2" OD Pole



| Signal Section                 | Coating              |
|--------------------------------|----------------------|
| AB-0154 - <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | PNC=Process No Color |
| 2=2 Sec                        | P__=Paint            |
| 3=3 Sec                        |                      |
| 4=4 Sec                        |                      |
| 5=5 Sec                        |                      |



Note:

Stainless steel upgrade available: includes stainless slotted washer. Specify by including -SS in the part number, i.e., AB-0154-3-SS-PNC.

pelco

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Articulated Serrated Assemblies

The Atlas Large Capacity series of Astro-Brac can conceal one 3/4" diameter or two 5/8" diameter conduits. The internal wiring capability and 3 axis of adjustability can handle even the toughest alignment problems and make this system truly universal.




## Astro-Brac Assy, Atlas Series, Articulated Serrated, Band Mount

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0153 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 29=29" Band          | PNC=Process No Color |
| 2=2 Sec                        | 36=36" Band          | P__=Paint            |
| 3=3 Sec                        | 42=42" Band          |                      |
| 4=4 Sec                        | 48=48" Band          |                      |
| 5=5 Sec                        | 56=56" Band          |                      |

Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0153-3-29-SS-PNC.




## Astro-Brac Assy, Atlas Series, Articulated Serrated, Cable Mount

| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0150 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 2=2 Sec                        | 84=84" Cable         | P__=Paint            |
| 3=3 Sec                        | 96=96" Cable         |                      |
| 4=4 Sec                        |                      |                      |
| 5=5 Sec                        |                      |                      |

Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0150-3-62-SS-PNC.



## Astro-Brac Assy, Atlas Series, Articulated Serrated, Tenon Mount

| Signal Section                 | Coating              |
|--------------------------------|----------------------|
| AS-0149 - <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | PNC=Process No Color |
| 2=2 Sec                        | P__=Paint            |
| 3=3 Sec                        |                      |
| 4=4 Sec                        |                      |
| 5=5 Sec                        |                      |

Note:

Stainless steel upgrade available: includes stainless slotted washer. Specify by including -SS in the part number, i.e., AS-0149-3-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

This page is intentionally left blank.



## Articulated Serrated Assemblies

The Articulated Serrated Series of Astro-Brac can handle even the toughest signal alignment problems. The internal wiring capability and 3 axis of adjustability make this system truly universal.



### Astro-Brac Assy, Articulated Serrated, Tenon Mount 2-3/8" OD Tenon

| Signal<br>Section              | Coating                |
|--------------------------------|------------------------|
| AB-0149 - <input type="text"/> | - <input type="text"/> |
| 1=1 Sec                        | PNC=Process No Color   |
| 2=2 Sec                        | P__=Paint              |
| 3=3 Sec                        |                        |
| 4=4 Sec                        |                        |
| 5=5 Sec                        |                        |



Note:  
 Stainless steel upgrade available: includes stainless slotted washer.  
 Specify by including -SS in the part number, i.e., AB-0149-3-SS-PNC.


- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
 2. See Reference Section for clamp kit pole diameters.  
 3. See Reference Section for available paint colors.

## 2-Way Assemblies

Designed to accommodate all traffic signals, with the exception of the optically programmed. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole.




Astro-Brac




### Astro-Brac Assy, Stellar Series, 2-Way Band Mount

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0110 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 29=29" Band          | PNC=Process No Color |
| 2=2 Sec                        | 36=36" Band          | P__=Paint            |
| 3=3 Sec                        | 42=42" Band          |                      |
| 4=4 Sec                        | 48=48" Band          |                      |
| 5=5 Sec                        | 56=56" Band          |                      |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0110-3-29-SS-PNC.




### Astro-Brac Assy, Stellar Series, 2-Way Cable Mount

| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0188 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 2=2 Sec                        | 84=84" Cable         | P__=Paint            |
| 3=3 Sec                        | 96=96" Cable         |                      |
| 4=4 Sec                        |                      |                      |
| 5=5 Sec                        |                      |                      |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0188-3-62-SS-PNC.



### Astro-Brac Assy, Stellar Series, 2-Way Tenon Mount

| Signal Section                 | Coating              |
|--------------------------------|----------------------|
| AS-0641 - <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | PNC=Process No Color |
| 2=2 Sec                        | P__=Paint            |
| 3=3 Sec                        |                      |
| 4=4 Sec                        |                      |
| 5=5 Sec                        |                      |



Note:


Stainless steel upgrade available: includes slotted washer. Specify by including -SS in the part number, i.e., AS-0641-3-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.



## 2-Way Assemblies

Designed to accommodate all traffic signals, with the exception of the optically programmed. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole.




### Astro-Brac Assy, Tallon Series, 2-Way Band Mount

| Signal Section                 | Band Length            | Coating                |
|--------------------------------|------------------------|------------------------|
| AB-0645 - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |
| 1=1 Sec                        | 29=29" Band            | PNC=Process No Color   |
| 2=2 Sec                        | 36=36" Band            | P__=Paint              |
| 3=3 Sec                        | 42=42" Band            |                        |
| 4=4 Sec                        | 48=48" Band            |                        |
| 5=5 Sec                        | 56=56" Band            |                        |



**Note:**

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AB-0645-3-29-SS-PNC.



### Astro-Brac Assy, Tallon Series, 2-Way Cable Mount

| Signal Section                 | Cable Length           | Coating                |
|--------------------------------|------------------------|------------------------|
| AB-0644 - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |
| 1=1 Sec                        | 62=62" Cable           | PNC=Process No Color   |
| 2=2 Sec                        | 84=84" Cable           | P__=Paint              |
| 3=3 Sec                        | 96=96" Cable           |                        |
| 4=4 Sec                        |                        |                        |
| 5=5 Sec                        |                        |                        |



**Note:**

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AB-0644-3-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
 2. See Reference Section for clamp kit pole diameters.  
 3. See Reference Section for available paint colors.

## 2-Way Variable Assemblies

Designed to accommodate all traffic signals, with the exception of the optically programmed. The 2-Way Variable Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of unbalanced signal combinations.




### Astro-Brac Assy, Stellar Series, 2-Way Variable Band Mount

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0111 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 3=3 Sec                        | 29=29" Band          | PNC=Process No Color |
| 4=4 Sec                        | 36=36" Band          | P__=Paint            |
| 5=5 Sec                        | 42=42" Band          |                      |
|                                | 48=48" Band          |                      |
|                                | 56=56" Band          |                      |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0111-3-29-SS-PNC.




### Astro-Brac Assy, Stellar Series, 2-Way Variable Cable Mount

| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0193 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 3=3 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 4=4 Sec                        | 84=84" Cable         | P__=Paint            |
| 5=5 Sec                        | 96=96" Cable         |                      |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0193-3-62-SS-PNC.



### Astro-Brac Assy, Stellar Series, 2-Way Variable Tenon Mount

| Signal Section                 | Coating              |
|--------------------------------|----------------------|
| AS-0642 - <input type="text"/> | <input type="text"/> |
| 3=3 Sec                        | PNC=Process No Color |
| 4=4 Sec                        | P__=Paint            |
| 5=5 Sec                        |                      |



Note:

Stainless steel upgrade available: includes slotted washer. Specify by including -SS in the part number, i.e., AS-0642-3-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Cluster Assemblies


The Astro-Brac in its various combinations is a truly universal system for mounting signals. The cluster assemblies are designed to mount five-section heads to any size of mast arm or pole.



## Astro-Brac Assy, Stellar Series, 5-Sec Cluster, Band Mount

AS-0109 -  -

|             |                      |
|-------------|----------------------|
| Band Length | Coating              |
| 29=29" Band | PNC=Process No Color |
| 36=36" Band | P__=Paint            |
| 42=42" Band |                      |
| 48=48" Band |                      |
| 56=56" Band |                      |



Note:  
Stainless steel upgrade available: includes stainless clamp screw and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0109-42-SS-PNC.




## Astro-Brac Assy, Stellar Series, 5-Sec Cluster, Cable Mount

AS-0138 -  -

|              |                      |
|--------------|----------------------|
| Cable Length | Coating              |
| 62=62" Cable | PNC=Process No Color |
| 84=84" Cable | P__=Paint            |
| 96=96" Cable |                      |



Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0138-62-SS-PNC.



## Astro-Brac Assy, Stellar Series, 5-Sec Cluster, Tenon Mount

AS-0190 -

|                      |
|----------------------|
| Coating              |
| PNC=Process No Color |
| P__=Paint            |



Note:  
Stainless steel upgrade available: includes stainless slotted washer.  
Specify by including -SS in the part number, i.e., AS-0190-SS-PNC.

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Cluster Assemblies

The Astro-Brac in its various combinations is a truly universal system for mounting signals. The cluster assemblies are designed to mount five-section heads to any size of mast arm or pole.



Astro-Brac




## Astro-Brac Assy, 5-Sec Cluster, Articulated Serrated Cable Mount

AB-0162 -  -   
 Cable Length Coating  
 62=62" Cable PNC=Process No Color  
 84=84" Cable P\_\_=Paint  
 96=96" Cable



Note:  
 Stainless steel upgrade available: includes stainless cable and slotted washer.  
 Specify by including -SS in the part number, i.e., AB-0162-62-SS-PNC.




## Astro-Brac Assy, Tallon Series, 5-Sec Cluster Band Mount

AB-0646 -  -   
 Band Length Coating  
 29=29" Band PNC=Process No Color  
 36=36" Band P\_\_=Paint  
 42=42" Band  
 48=48" Band  
 56=56" Band



Note:  
 Stainless steel upgrade available: includes stainless clamp screw and slotted washer.  
 Specify by including -SS in the part number, i.e., AB-0646-4-29-SS-PNC.



## Astro-Brac Assy, Tallon Series, 5-Sec Cluster Cable Mount

AB-0647 -  -   
 Cable Length Coating  
 62=62" Cable PNC=Process No Color  
 84=84" Cable P\_\_=Paint  
 96=96" Cable




Note:  
 Stainless steel upgrade available: includes stainless cable and slotted washer.  
 Specify by including -SS in the part number, i.e., AB-0647-4-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
 2. See Reference Section for clamp kit pole diameters.  
 3. See Reference Section for available paint colors.

# Cluster Assemblies

The Atlas Large Capacity series of Astro-Brac can conceal one 3/4" diameter or two 5/8" diameter conduits. The cluster assemblies are designed to mount five-section heads to any size or shape of mast arm or pole.




## Astro-Brac Assy, Atlas Series, 5-Sec Cluster, Articulated Serrated Cable Mount

AS-0162 -  -

Cable Length      Coating

62=62" Cable      PNC=Process No Color  
84=84" Cable      P\_\_=Paint  
96=96" Cable



Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0162-62-SS-PNC.




## Astro-Brac Assy, Atlas Series, 5-Sec Cluster, Articulated Serrated Tenon Mount

AS-0187 -  -

Cable Length      Coating

62=62" Cable      PNC=Process No Color  
84=84" Cable      P\_\_=Paint  
96=96" Cable



Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0187-62-SS-PNC.


- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

This page is intentionally left blank.



# Cluster Assemblies

Designed to accommodate all traffic signals, with the exception of the optically programmed. The cluster assembly with cast uppers is designed to mount three, four or five section clusters in various configurations to any size of mast arm or pole.




## Astro-Brac Assy, Cluster Band Mount, w/ Cast Uppers 17" CTC

AB-0167 -  -

|             |                      |
|-------------|----------------------|
| Band Length | Coating              |
| 29=29" Band | PNC=Process No Color |
| 36=36" Band | P__=Paint            |
| 42=42" Band |                      |
| 48=48" Band |                      |
| 56=56" Band |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw and slotted washer.  
Specify by including -SS in the part number, i.e., AB-0167-29-SS-PNC.



## Astro-Brac Assy, Cluster Cable Mount, w/ Cast Uppers 17" CTC

AB-0168 -  -

|              |                      |
|--------------|----------------------|
| Cable Length | Coating              |
| 62=62" Cable | PNC=Process No Color |
| 84=84" Cable | P__=Paint            |
| 96=96" Cable |                      |


Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AB-0168-62-SS-PNC.



- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Pedestrian Bracket 1-Way Assemblies

With the extended arms this bracket assembly is designed to accommodate the pedestrian signal. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole.



## Astro-Brac Assy, Stellar Series, 1-Way Band Mount, for ICC Ped Head

|         | Band Length            | Coating                |
|---------|------------------------|------------------------|
| AS-0133 | - <input type="text"/> | - <input type="text"/> |
|         | 29=29" Band            | PNC=Process No Color   |
|         | 36=36" Band            | P__=Paint              |
|         | 42=42" Band            |                        |
|         | 48=48" Band            |                        |
|         | 56=56" Band            |                        |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0133-29-SS-PNC.



## Astro-Brac Assy, Stellar Series, 1-Way Cable Mount, for ICC Ped Head

|         | Cable Length           | Coating                |
|---------|------------------------|------------------------|
| AS-0157 | - <input type="text"/> | - <input type="text"/> |
|         | 62=62" Cable           | PNC=Process No Color   |
|         | 84=84" Cable           | P__=Paint              |
|         | 96=96" Cable           |                        |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0157-62-SS-PNC.

Astro-Brac

pelco

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Pedestrian Bracket 2-Way Assemblies

With the extended arms this bracket assembly is designed to accommodate two pedestrian signals. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole.




## Astro-Brac Assy, Stellar Series, 2-Way Band Mount for ICC Ped Heads

| AS-0131 | Band Length          | Coating                |
|---------|----------------------|------------------------|
| -       | <input type="text"/> | - <input type="text"/> |
|         | 29=29" Band          | PNC=Process No Color   |
|         | 36=36" Band          | P__=Paint              |
|         | 42=42" Band          |                        |
|         | 48=48" Band          |                        |
|         | 56=56" Band          |                        |



### Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0131-29-SS-PNC.



## Astro-Brac Assy, Stellar Series, 2-Way Cable Mount for ICC Ped Heads

| AS-0158 | Cable Length         | Coating                |
|---------|----------------------|------------------------|
| -       | <input type="text"/> | - <input type="text"/> |
|         | 62=62" Cable         | PNC=Process No Color   |
|         | 84=84" Cable         | P__=Paint              |
|         | 96=96" Cable         |                        |




### Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0158-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# OPS Bracket Assemblies

Designed to accommodate optically programmed signal heads. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole.



## Astro-Brac Assy, Stellar Series, 1-Way Band Mount for OPS Signals, 1-1/2" Mount

| Signal Section                 | Band Length            | Coating                |
|--------------------------------|------------------------|------------------------|
| AS-0152 - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |
| 3=3 Sec                        | 29=29" Band            | PNC=Process No Color   |
| 4=4 Sec                        | 36=36" Band            | P__=Paint              |
| 5=5 Sec                        | 42=42" Band            |                        |
|                                | 48=48" Band            |                        |
|                                | 56=56" Band            |                        |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0152-3-29-SS-PNC.



## Astro-Brac Assy, Stellar Series, 1-Way Cable Mount for OPS Signals, 1-1/2" Mount

| Signal Section                 | Cable Length           | Coating                |
|--------------------------------|------------------------|------------------------|
| AS-0151 - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |
| 3=3 Sec                        | 62=62" Cable           | PNC=Process No Color   |
| 4=4 Sec                        | 84=84" Cable           | P__=Paint              |
| 5=5 Sec                        | 96=96" Cable           |                        |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0151-3-29-SS-PNC.

Astro-Brac

pelco

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# OPS Bracket Assemblies

Designed to accommodate optically programmed signal heads. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole.




## Astro-Brac Assy, Stellar Series, 1-Way Band Mount for OPS Signals, Tri-Bolt Mount

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0103 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 1=1 Sec                        | 29=29" Band          | PNC=Process No Color |
| 2=2 Sec                        | 36=36" Band          | P__=Paint            |
| 3=3 Sec                        | 42=42" Band          |                      |
| 4=4 Sec                        | 48=48" Band          |                      |
| 5=5 Sec                        | 56=56" Band          |                      |

Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0103-3-29-SS-PNC.




## Astro-Brac Assy, Stellar Series, 1-Way Cable Mount for OPS Signals, Tri-Bolt Mount

| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0633 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 3=3 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 4=4 Sec                        | 84=84" Cable         | P__=Paint            |
| 5=5 Sec                        | 96=96" Cable         |                      |

Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0633-3-62-SS-PNC.



## Astro-Brac Assy, Stellar Series, 1-Way Tenon Mount for OPS Signals, Tri-Bolt Mount

| Signal Section                 | Coating              |
|--------------------------------|----------------------|
| AS-0143 - <input type="text"/> | <input type="text"/> |
| 3=3 Sec                        | PNC=Process No Color |
| 4=4 Sec                        | P__=Paint            |
| 5=5 Sec                        |                      |

Note:

Stainless steel upgrade available: includes stainless slotted washer. Specify by including -SS in the part number, i.e., AS-0143-3-SS-PNC.



- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.




# OPS Bracket Assemblies

Designed to accommodate optically programmed signal heads, the Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole adjustability.



Astro-Brac




## Astro-Brac Assy, Stellar Series, Variable Head Combination, Band Mount for OPS Signals

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0192 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 2=2 Sec                        | 29=29" Band          | PNC=Process No Color |
| 3=3 Sec                        | 36=36" Band          | P__=Paint            |
| 4=4 Sec                        | 42=42" Band          |                      |
| 5=5 Sec                        | 48=48" Band          |                      |
|                                | 56=56" Band          |                      |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AB-0192-3-29-SS-PNC.




## Astro-Brac Stellar Assy, 5-Sec Cluster, Band Mount for OPS Signals

| Band Length                    | Coating              |
|--------------------------------|----------------------|
| AS-0191 - <input type="text"/> | <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color |
| 36=36" Band                    | P__=Paint            |
| 42=42" Band                    |                      |
| 48=48" Band                    |                      |
| 56=56" Band                    |                      |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AS-0191-29-SS-PNC.



## Astro-Brac Stellar Assy, 5-Sec Cluster, Cable Mount for OPS Signal

| Cable Length                   | Coating              |
|--------------------------------|----------------------|
| AS-0199 - <input type="text"/> | <input type="text"/> |
| 62=62" Cable                   | PNC=Process No Color |
| 84=84" Cable                   | P__=Paint            |
| 96=96" Cable                   |                      |



Note:



Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AS-0199-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.



# Terminal Compartment Assemblies

When Astro-Bracs are required to have a terminal compartment take your pick of in-line or integral clamp kit terminal compartments without sacrificing all-axis adjustability.




## Astro-Brac Assy, Stellar Series, 1-Way Band Mount

| Signal Section                 | Band Length          | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0112 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 3=3 Sec                        | 29=29" Band          | PNC=Process No Color |
| 4=4 Sec                        | 36=36" Band          | P__=Paint            |
| 5=5 Sec                        | 42=42" Band          |                      |
|                                | 48=48" Band          |                      |
|                                | 56=56" Band          |                      |



Note:  
Stainless steel upgrade available: includes stainless clamp screw and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0112-3-29-SS-PNC.




## Astro-Brac Assy, Stellar Series, 1-Way Cable Mount

| Signal Section                 | Cable Length         | Coating              |
|--------------------------------|----------------------|----------------------|
| AS-0620 - <input type="text"/> | <input type="text"/> | <input type="text"/> |
| 3=3 Sec                        | 62=62" Cable         | PNC=Process No Color |
| 4=4 Sec                        | 84=84" Cable         | P__=Paint            |
| 5=5 Sec                        | 96=96" Cable         |                      |



Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0620-3-62-SS-PNC.



## Astro-Brac Assy, Stellar Series, 5-Sec Cluster, Cable Mount

| Cable Length                   | Coating              |
|--------------------------------|----------------------|
| AS-0621 - <input type="text"/> | <input type="text"/> |
| 62=62" Cable                   | PNC=Process No Color |
| 84=84" Cable                   | P__=Paint            |
| 96=96" Cable                   |                      |




Note:  
Stainless steel upgrade available: includes stainless cable and slotted washer.  
Specify by including -SS in the part number, i.e., AS-0621-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Terminal Compartment Assemblies

Designed to accommodate all traffic signals, with the exception of the optically programmed. The Astro-Brac features all-axis adjustability and is designed to facilitate the mounting of any size signal to any size of mast arm or pole.




## Astro-Brac Assy, Mark I Terminal Compartment, 1-Way Band Mount

| Signal Section                 | Band Length            | Coating                |
|--------------------------------|------------------------|------------------------|
| AB-0140 - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |
| 3=3 Sec                        | 29=29" Band            | PNC=Process No Color   |
| 4=4 Sec                        | 36=36" Band            | P__=Paint              |
| 5=5 Sec                        | 42=42" Band            |                        |
|                                | 48=48" Band            |                        |
|                                | 56=56" Band            |                        |



Note:

Stainless steel upgrade available: includes stainless clamp screw and slotted washer. Specify by including -SS in the part number, i.e., AB-0140-3-29-SS-PNC.



## Astro-Brac Assy, Mark I Terminal Compartment, 1-Way Cable Mount

| Signal Section                 | Cable Length           | Coating                |
|--------------------------------|------------------------|------------------------|
| AB-0146 - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |
| 3=3 Sec                        | 62=62" Cable           | PNC=Process No Color   |
| 4=4 Sec                        | 84=84" Cable           | P__=Paint              |
| 5=5 Sec                        | 96=96" Cable           |                        |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AB-0146-3-62-SS-PNC.



## Astro-Brac Assy, Mark I Terminal Compartment, 5-Sec Cluster Cable Mount

| Cable Length                   | Coating                |
|--------------------------------|------------------------|
| AB-0147 - <input type="text"/> | - <input type="text"/> |
| 62=62" Cable                   | PNC=Process No Color   |
| 84=84" Cable                   | P__=Paint              |
| 96=96" Cable                   |                        |



Note:

Stainless steel upgrade available: includes stainless cable and slotted washer. Specify by including -SS in the part number, i.e., AB-0147-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.


# Stellar Series Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. The 2-piece clamp features a strong clamping method with quick and easy installation. Supplied with all necessary attaching hardware.



AB-0204  
Clamp Screw Kit

AB-0243  
Band Kit



AB-0256  
V-Bolt Kit

## Astro-Brac, Stellar Series Clamp Kit, Band Mount

AS-3004 -  -


Band Length      Coating

29=29" Band  
36=36" Band  
42=42" Band  
48=48" Band  
56=56" Band

PNC=Process No Color  
P\_\_=Paint

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AS-3004-29-SS-PNC.

AB-0280/  
AB-0320  
Cable Kit



AB-0256  
V-Bolt Kit

## Astro-Brac, Stellar Series Clamp Kit, Cable Mount

AS-3009 -  -

Cable Length      Coating

62=62" Cable  
84=84" Cable  
96=96" Cable

PNC=Process No Color  
P\_\_=Paint

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AS-3009-96-SS-PNC.



AB-0256  
V-Bolt Kit

## Astro-Brac, Stellar Series Clamp Kit, Tenon Mount, 1.9" to 4.5" OD

AS-3010 -

Coating

PNC=Process No Color  
P\_\_=Paint


Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Tallon Series Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. The Tallon series multi-directional adjustable tube saddle provides strength and easier installation. Comes complete with all necessary attaching hardware.




## Astro-Brac, Tallon Series Clamp Kit, Band Mount



|         | Band Length            | Coating                |
|---------|------------------------|------------------------|
| AB-3042 | - <input type="text"/> | - <input type="text"/> |
|         | 29=29" Band            | PNC=Process No Color   |
|         | 36=36" Band            | P__=Paint              |
|         | 42=42" Band            |                        |
|         | 48=48" Band            |                        |
|         | 56=56" Band            |                        |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3042-29-SS-PNC.

## Astro-Brac, Tallon Series Clamp Kit, Cable Mount




|         | Cable Length           | Coating                |
|---------|------------------------|------------------------|
| AB-3043 | - <input type="text"/> | - <input type="text"/> |
|         | 62=62" Cable           | PNC=Process No Color   |
|         | 84=84" Cable           | P__=Paint              |
|         | 96=96" Cable           |                        |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3043-62-SS-PNC.

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Atlas Series Clamp Kits

These aluminum serrated articulating clamp kits were specifically designed to accommodate larger conduit. The 3 axis adjustability provides complete clamping versatility. They feature stainless steel bands or high strength galvanized or stainless steel aircraft cable. Supplied complete with all necessary attaching hardware.




## Astro-Brac, Atlas Series Clamp Kit, Articulated Serrated Band Mount

| AS-3029 | Band Length          | Coating              |
|---------|----------------------|----------------------|
|         | <input type="text"/> | <input type="text"/> |
|         | 29=29" Band          | PNC=Process No Color |
|         | 36=36" Band          | P__=Paint            |
|         | 42=42" Band          |                      |
|         | 48=48" Band          |                      |
|         | 56=56" Band          |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AS-3042-29-SS-PNC.

AB-0256  
V-Bolt Kit

AB-0280/  
AB-0320  
Cable Kit



## Astro-Brac, Atlas Series Clamp Kit, Articulated Serrated Cable Mount

| AS-3026 | Cable Length         | Coating              |
|---------|----------------------|----------------------|
|         | <input type="text"/> | <input type="text"/> |
|         | 62=62" Cable         | PNC=Process No Color |
|         | 84=84" Cable         | P__=Paint            |
|         | 96=96" Cable         |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3043-62-SS-PNC.

AB-0256  
V-Bolt Kit

## Astro-Brac, Atlas Series Clamp Kit, Articulated Serrated Tenon Mount



| AB-3051 | Coating              |
|---------|----------------------|
|         | <input type="text"/> |
|         | PNC=Process No Color |
|         | P__=Paint            |

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.




This page is intentionally left blank.




## Triton Series Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. The Triton clamp kits utilize three bands or cables and are designed to be used with a 2-3/8" diameter tube. Comes complete with all necessary attaching hardware.



AB-0303  
Clamp Screw Kit

AB-0243  
Band Kit




### Astro-Brac, Triton Series Clamp Kit, Band Mount for 2" Pipe

| AB-3039 | - | Band Length          | - | Coating              |
|---------|---|----------------------|---|----------------------|
|         |   | <input type="text"/> |   | <input type="text"/> |
|         |   | 29=29" Band          |   | PNC=Process No Color |
|         |   | 36=36" Band          |   | P__=Paint            |
|         |   | 42=42" Band          |   |                      |
|         |   | 48=48" Band          |   |                      |
|         |   | 56=56" Band          |   |                      |

**Note:**

Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3039-29-SS-PNC.

AB-0336/  
AB-0337  
Cable Kit



### Astro-Brac, Triton Series Clamp Kit, Cable Mount for 2" Pipe

| AB-3040 | - | Cable Length         | - | Coating              |
|---------|---|----------------------|---|----------------------|
|         |   | <input type="text"/> |   | <input type="text"/> |
|         |   | 45=45" Cable         |   | PNC=Process No Color |
|         |   | 62=62" Cable         |   | P__=Paint            |
|         |   | 84=84" Cable         |   |                      |
|         |   | 96=96" Cable         |   |                      |
|         |   | 110=110" Cable       |   |                      |
|         |   | 120=120" Cable       |   |                      |

**Note:**

Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3040-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.


# Band Mount Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature forged galvanized clamp screws which allow easy signal mounting on any size signal pole. Supplied complete with all necessary attaching hardware.



AB-0204  
Clamp Screw Kit

AB-0243  
Band Kit



AB-0256  
V-Bolt Kit


## Astro-Brac, Stellar Series Clamp Kit, Band Mount

| AS-3004 | Band Length          | Coating              |
|---------|----------------------|----------------------|
|         | <input type="text"/> | <input type="text"/> |
|         | 29=29" Band          | PNC=Process No Color |
|         | 36=36" Band          | P__=Paint            |
|         | 42=42" Band          |                      |
|         | 48=48" Band          |                      |
|         | 56=56" Band          |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AS-3004-29-SS-PNC.

AB-0204  
Clamp Screw Kit

AB-0243  
Band Kit




AB-0256  
V-Bolt Kit

## Astro-Brac Clamp Kit, Band Mount

| AB-3004 | Band Length          | Coating              |
|---------|----------------------|----------------------|
|         | <input type="text"/> | <input type="text"/> |
|         | 29=29" Band          | PNC=Process No Color |
|         | 36=36" Band          | P__=Paint            |
|         | 42=42" Band          |                      |
|         | 48=48" Band          |                      |
|         | 56=56" Band          |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3004-42-SS-PNC.

AB-0243  
Band Kit



AB-0204  
Clamp Screw Kit

## Astro-Brac Clamp Kit, Free-Swinging, Band Mount, 3/4" Clevis


| AB-0106 | Band Length          | Coating              |
|---------|----------------------|----------------------|
|         | <input type="text"/> | <input type="text"/> |
|         | 29=29" Band          | PNC=Process No Color |
|         | 36=36" Band          | P__=Paint            |
|         | 42=42" Band          |                      |
|         | 48=48" Band          |                      |
|         | 56=56" Band          |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-0106-42-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

## Band Mount Clamp Kits


These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature forged galvanized clamp screws which allow easy signal mounting on any size signal pole. Supplied complete with all necessary attaching hardware.



### Astro-Brac Clamp Kit, Free-Swinging, Band Mount, 1/2" Clevs

| Band Length                    | Coating                |
|--------------------------------|------------------------|
| AB-3031 - <input type="text"/> | - <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color   |
| 36=36" Band                    | P__=Paint              |
| 42=42" Band                    |                        |
| 48=48" Band                    |                        |
| 56=56" Band                    |                        |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3031-29-SS-PNC.



### Astro-Brac, Band Mount Clamp Kit, 1-1/2" Threaded Opening


| Band Length                    | Coating                |
|--------------------------------|------------------------|
| AB-3006 - <input type="text"/> | - <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color   |
| 36=36" Band                    | P__=Paint              |
| 42=42" Band                    |                        |
| 48=48" Band                    |                        |
| 56=56" Band                    |                        |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3006-29-SS-PNC.


- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Band Mount Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature forged galvanized clamp screws which allow easy signal mounting on any size signal pole. Supplied complete with all necessary attaching hardware.




## Astro-Brac Clamp Kit, Band Mount for Plumbizer Mount



| Band Length                    | Coating              |
|--------------------------------|----------------------|
| AB-3007 - <input type="text"/> | <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color |
| 36=36" Band                    | P_ _=Paint           |
| 42=42" Band                    |                      |
| 48=48" Band                    |                      |
| 56=56" Band                    |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3007-29-SS-PNC.


## Astro-Brac Clamp Kit, Band Mount for Plumbizer Mount w/ Support Tube



| Band Length                    | Coating              |
|--------------------------------|----------------------|
| AB-3008 - <input type="text"/> | <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color |
| 36=36" Band                    | P_ _=Paint           |
| 42=42" Band                    |                      |
| 48=48" Band                    |                      |
| 56=56" Band                    |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3008-42-SS-PNC.

## Astro-Brac Clamp Kit, Band Mount for Large Diameter Poles



| Band Length                    | Coating              |
|--------------------------------|----------------------|
| AB-3022 - <input type="text"/> | <input type="text"/> |
| 84=84" Band                    | PNC=Process No Color |
| 114=114" Band                  | P_ _=Paint           |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3022-84-SS-PNC.

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.




# Cable Mount Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature high strength galvanized aircraft cable and stainless steel swaged fittings. Supplied complete with all necessary attaching hardware.



AB-0280/  
AB-0320  
Cable Kit




AB-0256  
V-Bolt Kit

## Astro-Brac, Stellar Series Clamp Kit, Cable Mount

|         |   |                      |   |                      |
|---------|---|----------------------|---|----------------------|
| AS-3009 | - | <input type="text"/> | - | <input type="text"/> |
|         |   | Cable Length         |   | Coating              |
|         |   | 62=62" Cable         |   | PNC=Process No Color |
|         |   | 84=84" Cable         |   | P__=Paint            |
|         |   | 96=96" Cable         |   |                      |
|         |   | 110=110" Cable       |   |                      |
|         |   | 120=120" Cable       |   |                      |
|         |   | 132=132" Cable       |   |                      |
|         |   | 144=144" Cable       |   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AS-3009-62-SS-PNC.

AB-0280/  
AB-0320  
Cable Kit



AB-0256  
V-Bolt Kit

## Astro-Brac Clamp Kit, Cable Mount

|         |   |                      |   |                      |
|---------|---|----------------------|---|----------------------|
| AB-3009 | - | <input type="text"/> | - | <input type="text"/> |
|         |   | Cable Length         |   | Coating              |
|         |   | 62=62" Cable         |   | PNC=Process No Color |
|         |   | 84=84" Cable         |   | P__=Paint            |
|         |   | 96=96" Cable         |   |                      |
|         |   | 110=110" Cable       |   |                      |
|         |   | 120=120" Cable       |   |                      |
|         |   | 132=132" Cable       |   |                      |
|         |   | 144=144" Cable       |   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3009-62-SS-PNC.

AB-0280/  
AB-0320  
Cable Kit



## Astro-Brac Clamp Kit, Free-Swinging, Cable Mount

|         |   |                      |   |                      |
|---------|---|----------------------|---|----------------------|
| AB-3014 | - | <input type="text"/> | - | <input type="text"/> |
|         |   | Cable Length         |   | Coating              |
|         |   | 62=62" Cable         |   | PNC=Process No Color |
|         |   | 84=84" Cable         |   | P__=Paint            |
|         |   | 96=96" Cable         |   |                      |
|         |   | 110=110" Cable       |   |                      |
|         |   | 120=120" Cable       |   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3014-62-SS-PNC.


Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Cable Mount Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature high strength galvanized aircraft cable and stainless steel swaged fittings. Supplied complete with all necessary attaching hardware.



AB-0280/  
AB-0320  
Cable Kit



## Astro-Brac Clamp Kit, Cable Mount, 1-1/2" NPS


| AB-3034         | - | Cable Length         | - | Coating              |
|-----------------|---|----------------------|---|----------------------|
|                 |   | <input type="text"/> |   | <input type="text"/> |
| 62=62" Cable    |   |                      |   |                      |
| 84=84" Cable    |   |                      |   |                      |
| 96=96" Cable    |   |                      |   |                      |
| 110"=110" Cable |   |                      |   |                      |
| 120"=120" Cable |   |                      |   |                      |
| 132=132" Cable  |   |                      |   |                      |
| 144=144' Cable  |   |                      |   |                      |

PNC=Process No Color  
P\_\_=Paint

Note:

Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3034-96-SS-PNC.

AB-0280/  
AB-0320  
Cable Kit



## Astro-Brac Clamp Kit, Cable Mount, 2" Threaded Opening


| AB-3035 | - | Cable Length         | - | Coating              |
|---------|---|----------------------|---|----------------------|
|         |   | <input type="text"/> |   | <input type="text"/> |
|         |   | 62=62" Cable         |   |                      |
|         |   | 84=84" Cable         |   |                      |
|         |   | 96=96" Cable         |   |                      |
|         |   | 110"=110" Cable      |   |                      |
|         |   | 120"=120" Cable      |   |                      |
|         |   | 132=132" Cable       |   |                      |
|         |   | 144=144' Cable       |   |                      |

PNC=Process No Color  
P\_\_=Paint

Note:

Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3035-62-SS-PNC.

AB-0280/  
AB-0320  
Cable Kit



## Astro-Brac Clamp Kit, Cable Mount, Tube Saddle

|         |   |                      |   |                      |
|---------|---|----------------------|---|----------------------|
| AB-3041 | - | Cable Length         | - | Coating              |
|         |   | <input type="text"/> |   | <input type="text"/> |
|         |   | 62=62" Cable         |   |                      |
|         |   | 84=84" Cable         |   |                      |
|         |   | 96=96" Cable         |   |                      |

PNC=Process No Color  
P\_\_=Paint

Note:

Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3041-62-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.




## Cable Mount Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature high strength galvanized aircraft cable and stainless steel swaged fittings. Supplied complete with all necessary attaching hardware.



AB-0280/  
AB-0320  
Cable Kit




AB-0256  
V-Bolt Kit

### Astro-Brac, Stellar Series Clamp Kit, Cable Mount for Large Diameter Poles

| Cable Length    |   | Coating              |
|-----------------|---|----------------------|
| AS-3044         | - | <input type="text"/> |
| 96"=96" Cable   |   | PNC=Process No Color |
| 118"=118" Cable |   | P__=Paint            |
| 220"=220" Cable |   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AS-3044-96-SS-PNC.

AB-0280/  
AB-0320  
Cable Kit



SE-4370  
Support Tube

### Astro-Brac Clamp Kit, Cable Mount for Plumbizer Mount w/ Support Tube

| Cable Length  |   | Coating              |
|---------------|---|----------------------|
| AB-3053       | - | <input type="text"/> |
| 62"=62" Cable |   | PNC=Process No Color |
| 84"=84" Cable |   | P__=Paint            |
| 96"=96" Cable |   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3053-96-SS-PNC.

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Tenon Mount Clamp Kits

These high tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature stainless steel studs and cast back half clamps for mounting to plumbizer tenon or small diameter structures. Supplied complete with all necessary attaching hardware.



AB-0256  
V-Bolt Kit

## Astro-Brac Clamp Kit, Stellar Series Tenon Mount for 1.9" to 4.5" OD

AS-3010 -   
Coating  
PNC=Process No Color  
P\_\_=Paint



AB-0256  
V-Bolt Kit

## Astro-Brac Clamp Kit, Tenon Mount for 1.9" to 4.5" OD

AB-3010 -   
Coating  
PNC=Process No Color  
P\_\_=Paint



AB-0256  
V-Bolt Kit

## Astro-Brac Clamp Kit, Horizontal Articulated Tenon Mount for 1.9" to 4.5" OD

AB-3012 -   
Coating  
PNC=Process No Color  
P\_\_=Paint



## Astro-Brac Clamp Kit, Free Swinging Tenon Mount, 3/4" Clevis for 1.9" to 4.5" Diameter Pipe

AB-0118 -   
Coating  
PNC=Process No Color  
P\_\_=Paint


Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Articulated Serrated Clamp Kits

The aluminum articulated serrated clamp kits provide strength with 3 axis of adjustability and complete clamping versatility. They feature unobstructed center openings for internal wiring capability and come complete with all necessary attaching hardware.



AB-0204  
Clamp Screw Kit




AB-0256  
V-Bolt Kit

AB-0243  
Band Kit

## Astro-Brac Clamp Kit, Articulated Serrated Band Mount, Internal Wiring Capability

|         | Band Length            | Coating                |
|---------|------------------------|------------------------|
| AB-3029 | - <input type="text"/> | - <input type="text"/> |
|         | 29=29" Band            | PNC=Process No Color   |
|         | 36=36" Band            | P__=Paint              |
|         | 42=42" Band            |                        |
|         | 48=48" Band            |                        |
|         | 56=56" Band            |                        |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3029-29-SS-PNC.




AB-0256  
V-Bolt Kit

AB-0280/  
AB-0320  
Cable Kit

## Astro-Brac Clamp Kit, Articulated Serrated Cable Mount

|         | Cable Length           | Coating                |
|---------|------------------------|------------------------|
| AB-3026 | - <input type="text"/> | - <input type="text"/> |
|         | 62=62" Cable           | PNC=Process No Color   |
|         | 84=84" Cable           | P__=Paint              |
|         | 96=96" Cable           |                        |


Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3026-62-SS-PNC.



AB-0256  
V-Bolt Kit

## Astro-Brac Clamp Kit, Articulated Serrated Tenon Mount, Internal Wiring Capability, 1-15/16" to 4-1/2" OD Pole

|         | Coating                |
|---------|------------------------|
| AB-3030 | - <input type="text"/> |
|         | PNC=Process No Color   |
|         | P__=Paint              |



AB-0256  
V-Bolt Kit


## Astro-Brac Clamp Kit, Articulated Serrated Tenon Mount, Internal Wiring Capability, 2-3/8" OD Pole

|         | Coating                |
|---------|------------------------|
| AB-3028 | - <input type="text"/> |
|         | PNC=Process No Color   |
|         | P__=Paint              |

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

# Articulated Clamp Kits


The aluminum articulated clamp kits provide strength with 3 axis of adjustability and complete clamping versatility. They feature forged galvanized clamp screws with stainless steel bands or high strength galvanized aircraft cable. Supplied complete with all necessary attaching hardware.



## Astro-Brac Clamp Kit, Horizontal Articulated Band Mount

| Band Length                    | Coating              |
|--------------------------------|----------------------|
| AB-3011 - <input type="text"/> | <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color |
| 36=36" Band                    | P__=Paint            |
| 42=42" Band                    |                      |
| 48=48" Band                    |                      |
| 56=56" Band                    |                      |


Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AB-3011-29-SS-PNC.



## Astro-Brac Clamp Kit, Horizontal Articulated Cable Mount

| Cable Length                   | Coating              |
|--------------------------------|----------------------|
| AB-3013 - <input type="text"/> | <input type="text"/> |
| 62=62" Cable                   | PNC=Process No Color |
| 84=84" Cable                   | P__=Paint            |
| 96=96" Cable                   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3013-62-SS-PNC.



## Astro-Brac Clamp Kit, Horizontal Articulated Cable Mount w/ Tube Saddle

| Cable Length                   | Coating              |
|--------------------------------|----------------------|
| AB-3015 - <input type="text"/> | <input type="text"/> |
| 62=62" Cable                   | PNC=Process No Color |
| 84=84" Cable                   | P__=Paint            |
| 96=96" Cable                   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3015-62-SS-PNC.


Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.

## Mark I Terminal Compartments

These tensile aluminum alloy clamp kits provide strength with maximum adjustability and complete clamping versatility. They feature an integral terminal compartment for easy signal wiring and come complete with all necessary attaching hardware.



AB-0204  
Clamp Screw Kit




### Astro-Brac Clamp Kit, Mark I Terminal Compartment, Band Mount

|         |   |                      |   |                      |
|---------|---|----------------------|---|----------------------|
| AB-3016 | - | Band Length          | - | Coating              |
|         |   | <input type="text"/> |   | <input type="text"/> |
|         |   | 29=29" Band          |   | PNC=Process No Color |
|         |   | 36=36" Band          |   | P__=Paint            |
|         |   | 42=42" Band          |   |                      |
|         |   | 48=48" Band          |   |                      |
|         |   | 56=56" Band          |   |                      |

Note:  
Stainless steel upgrade available: includes stainless clamp screw.  
Specify by including -SS in the part number, i.e., AS-3016-29-SS-PNC.

### Astro-Brac Clamp Kit, Mark I Terminal Compartment, Cable Mount



|         |   |                      |   |                      |
|---------|---|----------------------|---|----------------------|
| AB-3025 | - | Cable Length         | - | Coating              |
|         |   | <input type="text"/> |   | <input type="text"/> |
|         |   | 62=62" Cable         |   | PNC=Process No Color |
|         |   | 84=84" Cable         |   | P__=Paint            |
|         |   | 96=96" Cable         |   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-3025-62-SS-PNC.

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.



# Mini-Brac Clamp Kits


This unique mount is a smaller version of the Astro-Brac and gives the same kind of universal application. Ideal for side-of-pole or mast arm mountings.



## Astro Mini-Brac Clamp Kit, Band Mount, 1-1/2" NPS

| Band Length                    | Coating              |
|--------------------------------|----------------------|
| AB-0121 - <input type="text"/> | <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color |
| 42=42" Band                    | P__=Paint            |

Side-of-Pole Mounting  
Vehicular or Pedestrian Signals




Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-0121-29-SS-PNC.



## Astro Mini-Brac Clamp Kit, Cable Mount, 1-1/2" NPS

| Cable Length                   | Coating              |
|--------------------------------|----------------------|
| AB-0160 - <input type="text"/> | <input type="text"/> |
| 45=45" Cable                   | PNC=Process No Color |
| 62=62" Cable                   | P__=Paint            |
| 84=84" Cable                   |                      |

Mast Arm Mounting  
Emergency Traffic Signal Sensor



Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-0160-45-SS-PNC.



## Astro Mini-Brac Clamp Kit, Band Mount, 3/4"-14 NPT

| Band Length                    | Coating              |
|--------------------------------|----------------------|
| AB-0155 - <input type="text"/> | <input type="text"/> |
| 29=29" Band                    | PNC=Process No Color |
| 42=42" Band                    | P__=Paint            |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-0155-29-SS-PNC.



## Astro Mini-Brac Clamp Kit, Cable Mount, 3/4"-14 NPT

| Cable Length                   | Coating              |
|--------------------------------|----------------------|
| AB-0163 - <input type="text"/> | <input type="text"/> |
| 45=45" Cable                   | PNC=Process No Color |
| 62=62" Cable                   | P__=Paint            |
| 84=84" Cable                   |                      |

Note:  
Stainless steel upgrade available: includes stainless cable.  
Specify by including -SS in the part number, i.e., AB-0163-45-SS-PNC.

- Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for clamp kit pole diameters.  
3. See Reference Section for available paint colors.




## 1-Way Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturer's signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and wire covers.



### Astro-Brac, 1-Way Arm Kit, 8-1/2" CTC




AB-4000 -  Coating  
PNC=Process No Color  
P\_\_=Paint

### Astro-Brac, 1-Way Arm Kit, 8-1/2" CTC, Stainless Slotted Washer



AB-4005 -  Coating  
PNC=Process No Color  
P\_\_=Paint

### Astro-Brac, 1-Way Arm Kit, 8-1/2" CTC, Tapped for 3/4" CGB




AB-4001 -  Coating  
PNC=Process No Color  
P\_\_=Paint

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for available paint colors.


# 1-Way Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturer's signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and wire covers.




## Astro-Brac, 1-Way Arm Kit, 8-1/2" CTC, Tapped for 1" CGB

AB-4006 -  Coating  
PNC=Process No Color  
P\_\_=Paint



## Astro-Brac, 1-Way Arm Kit, 14" CTC, for 3M OPS Signals, Tri-Stud

AB-5000 -  Coating  
PNC=Process No Color  
P\_\_=Paint



## Astro-Brac, 1-Way Arm Kit, 16" CTC, for OPS Signals, 1-1/2" NPS

AB-5006 -  Coating  
PNC=Process No Color  
P\_\_=Paint


Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for available paint colors.

Astro-Brac




# 1-Way Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturer's signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and with standard or large capacity wire covers.




## Astro-Brac, 1-Way Arm Kit, 14" CTC, for ICC Ped Head

AB-4007 -  Coating  
PNC=Process No Color  
P\_\_=Paint



## Astro-Brac, 1-Way Arm Kit, Large Capacity, 8-1/2" CTC, Zinc Slotted Washer

AS-4000 -  Coating  
PNC=Process No Color  
P\_\_=Paint



## Astro-Brac, 1-Way Arm Kit, Large Capacity, 8-1/2" CTC, Stainless Slotted Washer

AS-4005 -  Coating  
PNC=Process No Color  
P\_\_=Paint

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for available paint colors.

## 2-Way Large Capacity Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturer's signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and large capacity wire covers.



### Astro-Brac, 2-Way Large Capacity Arm Kit, Zinc Slotted Washer

AS-5002 - ☐ Coating  
PNC=Process No Color  
P\_\_=Paint



### Astro-Brac, 2-Way Large Capacity Arm Kit, Stainless Slotted Washer

AS-5008 - ☐ Coating  
PNC=Process No Color  
P\_\_=Paint




Astro-Brac

pelco


## 2-Way Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturer's signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and wire covers.



### Astro-Brac, 2-Way Arm Kit, Zinc Slotted Washer

AB-5002 -  Coating  
PNC=Process No Color  
P\_\_=Paint



### Astro-Brac, 2-Way Arm Kit, Stainless Slotted Washer


AB-5008 -  Coating  
PNC=Process No Color  
P\_\_=Paint



Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for available paint colors.


## 2-Way Variable Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturer's signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and wire covers.



### Astro-Brac, 2-Way Variable Arm Kit, Zinc Slotted Washer

AB-5003 -  Coating  
PNC=Process No Color  
P\_\_=Paint



### Astro-Brac, 2-Way Variable Arm Kit for OPS Signals

AB-5011 -  Coating  
PNC=Process No Color  
P\_\_=Paint



Astro-Brac

pelco

Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for available paint colors.




# Cluster Large Capacity Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturers signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and large capacity wire covers.



## Astro-Brac, 5-Section Cluster Large Capacity Arm Kit, Zinc Slotted Washer

AS-5001 -  Coating  
PNC=Process No Color  
P\_\_=Paint



## Astro-Brac, 5-Section Cluster Large Capacity Arm Kit, Stainless Slotted Washer

AS-5005 -  Coating  
PNC=Process No Color  
P\_\_=Paint




Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for available paint colors.

This page is intentionally left blank.



## Cluster Arm Kits

All Pelco arm kits are durable aluminum alloy castings. Various styles are available to fit any manufacturer's signal. They allow positive positioning of the signal head without misalignment. Supplied complete with stainless steel hardware and wire covers.




### Astro-Brac, 5-Section Cluster Arm Kit, Zinc Slotted Washer

AB-5001 -  Coating  
PNC=Process No Color  
P\_\_=Paint




### Astro-Brac, 5-Section Cluster Arm Kit, Stainless Slotted Washer

AB-5005 -  Coating  
PNC=Process No Color  
P\_\_=Paint



### Astro-Brac, 5-Section Cluster Arm Kit for 3M OPS Signals

AB-5004 -  Coating  
PNC=Process No Color  
P\_\_=Paint



Note: 1. All assemblies are supplied standard with stainless steel fasteners.  
2. See Reference Section for available paint colors.

# Aluminum Tubes

Supplied in lengths shown below, Pelco's vertical support tubing is made from high strength aluminum alloy. A unique shape and vinyl insert insures a complete weather proof wiring installation anywhere along the entire length of the tube.

The standard 46" tube will accommodate all signal combinations up to 3-Section 12". Tubes are also available in 58" and 74" lengths for 4 and 5-Section combinations.



AB-0306  
Gusseted Tube



AB-0392  
PVC Insert

## Astro-Brac Gusseted Tube w/ 3/4" Opening & PVC Insert, 1-1/2" x Length, Threaded One End

AB-2003

Length

Coating

23=23"  
37=37"  
46=46"  
58=58"  
74=74"

PNC=Process No Color  
P\_\_=Paint



AB-0307  
Gusseted Tube



AB-0392  
PVC Insert

## Astro-Brac Gusseted Tube w/ 3/4" Opening & PVC Insert, 1-1/2" x Length, Threaded Both Ends

AB-2007

Length


Coating

23=23"  
37=37"  
46=46"  
58=58"  
74=74"

PNC=Process No Color  
P\_\_=Paint

### Concealed Wiring Installation

Pelco's aluminum gusseted tubes allow wire entry at any point. Vinyl insert conceals wiring from mast arm to signal head. Simply run wire throughout field-drilled hole in mast arm, through Astro-Brac, and into support tube. Hollow lower arm provides a channel for wire to be fed into signal head.



Note: 1. Lengths up to 120" maximum are available upon request. Specify by including Length in the part number, i.e., AB-2003-120-PNC.  
2. See Reference Section for available paint colors.

# Aluminum Tubes

Supplied in lengths shown below, Pelco's vertical support tubing is made from high strength aluminum alloy. Designed to accommodate one 3/4" diameter conduit or two 5/8" diameter conduits.

The standard 46" tube will accommodate all signal combinations up to 3-Section 12". Tubes are also available in 58" and 74" lengths for 4 and 5-Section combinations.



## Gusseted Tube w/ 3/4" Opening, 1-1/2" x Length, No Threads

AB-0390 -  -   
 Length                      Coating  
 23=23"                      PNC=Process No Color  
 37=37"                      P\_\_=Paint  
 46=46"  
 58=58"  
 74=74"



## Gusseted Tube w/ 3/4" Opening, 1-1/2" x Length, Threaded One End

AB-0306 -  -   
 Length                      Coating  
 23=23"                      PNC=Process No Color  
 37=37"                      P\_\_=Paint  
 46=46"  
 58=58"  
 74=74"



## Gusseted Tube w/ 3/4" Opening, 1-1/2" x Length, Threaded Both Ends

AB-0307 -  -   
 Length                      Coating  
 23=23"                      PNC=Process No Color  
 37=37"                      P\_\_=Paint  
 46=46"  
 58=58"  
 74=74"

Note: 1. Lengths up to 120" maximum are available upon request. Specify by including Length in the part number, i.e., AB-0300-120-PNC.  
 2. See Reference Section for available paint colors.

# Aluminum Tubes

Supplied in lengths shown below, Pelco's vertical support tubing is made from high strength aluminum alloy.

The standard 46" tube will accommodate all signal combinations up to 3-Section 12". Tubes are also available in 58" and 74" lengths for 4 and 5-Section combinations.



## Tube, 1-1/2" SCH 40 Aluminum, 1-7/8" OD x Length, No Threads

SE-0484 -

Length

23=23"

37=37"

46=46"

58=58"

74=74"

-

Coating

PNC=Process No Color

P\_\_=Paint



## Tube, 2" SCH 40 Aluminum, 2-3/8" OD x Length, No Threads

SE-0494 -

Length

23=23"

37=37"

46=46"

58=58"

74=74"

-

Coating

PNC=Process No Color

P\_\_=Paint

Note: 1. Lengths up to 120" maximum are available upon request. Specify by including Length in the part number, i.e., SE-0494-120-PNC.  
2. See Reference Section for available paint colors.



# Astro-Brac Hardware Kits



AB-0205-SS **Hardware Kit, 1-Way Arm,  
1/4"-20, Zinc Slotted Washer**



AB-0321-SS **Hardware Kit, 1-Way Arm,  
1/4"-20, Stainless Slotted Washer**



AB-0269-SS **Hardware Kit, CGB Arm,  
1/4"-20, Zinc Slotted Washer**



AB-0261-SS **Hardware Kit, OPS 1-Way,  
1/4"-20, 3M Adapter Ring**



AB-0304-SS **Hardware Kit, OPS 5-Section Cluster,  
1/4"-20, 3M Adapter Ring**



AB-0270-SS **Hardware Kit, 5-Section Cluster,  
1/4"-20, Zinc Slotted Washer**



AB-0322-SS **Hardware Kit, 5-Section Cluster,  
1/4"-20, Stainless Slotted Washer**

Note: 1. All hardware kits are supplied standard with stainless fasteners (sizes 3/8" or less).

## Astro-Brac Hardware Kits



AB-0204-GLV

**Clamp Screw Kit, 7/16"-14,  
Galvanized**



AB-0204-SS

**Clamp Screw Kit, 7/16"-14,  
Stainless**



AB-0303-GLV

**Clamp Screw Kit, 7/16"-14,  
Galvanized**



AB-0303-SS

**Clamp Screw Kit, 7/16"-14,  
Stainless**



AB-0256-SS

**V-Bolt Kit, 5/16"-18,  
Stainless**



AB-0506-ZN2

**Ty-Back Restraining Clamp**



AB-0504-PNC

**Helping Hand Assembly**

Note: 1. All hardware kits are supplied standard with stainless fasteners (sizes 3/8" or less).  
2. Ty-Back Restraining Clamp is supplied with all Cable Mount Clamp Kits.

Astro-Brac

