Plumbizers Aluminum


Pelco's aluminum Plumbizers, available in both straight and offset configuations, are designed to mount traffic signal assemblies to the end of a mast arm. Provided with hardware for mounting onto a 2-3/8" diameter tenon.







Offset Plumbizer Assy, Alum w/ Hardware



Note: 1. All assemblies are supplied standard with stainless steel fasteners. 2. See Reference Section page v for available paint colors.



Plumbizers Bronze & Iron

Pelco's bronze and iron offset Plumbizers are designed to mount traffic signal assemblies on the end of a mast arm. Provided with hardware for mounting onto a 2-3/8" diameter tenon.








Pelco's aluminum Mast Arm Hangers are designed to mount traffic signal assemblies on the end of a mast arm. Available in both 1-1/2'' and tri-stud. Provided with hardware for mounting to a 2-3/8'' diameter tenon.






Mast Arm Hangers Aluminum

Pelco's aluminum Mast Arm Hanger are for mounting traffic signal assemblies on the end of a mast arm. Free-swinging styles are available with a cast nipple or all thread. Provided with hardware for mounting to a 2-3/8" diameter tenon.






9001 www.intlcert.com

hardware on outlet body. Stainless upgrade shall include stainless steel hardware and pins.

Mast Arm Hangers Aluminum

Pelco's aluminum Mast Arm Hanger are for mounting traffic signal assemblies on the end of a mast arm. Free-swinging styles are available with a cast nipple or all thread. Provided with hardware for mounting to a 2-3/8" diameter tenon.





Note: 1. All assemblies are supplied standard with stainless steel fasteners. 2. See Reference Section page v for available paint colors.



Mast Arm Ell Hangers Bronze & Iron

Pelco's bronze and iron Ell Hangers, for mounting traffic signal assemblies on the end of a mast arm, are designed with serrations for locking onto the top of a signal. Provided with hardware for mounting to a 2-3/8" diameter tenon.







Note: 1. All assemblies are supplied standard with stainless steel fasteners.

2. See Reference Section page v for available paint colors.