



Enclosure Management & Security

GENETEC

2024 - Q1



OMNICAST PRODUCTS			
Item #	Product Name/Part #	Product Description	List Price
1	ADV-CAMP-1Y	Genetec™ Advantage for 1 Omnicast™ Pro Camera – 1 year	\$ 46.74
2	GSC-1PMEDECOBASE	Medeco Base intelligent key management Plugin. Requires GSC-IP-OFFLINELOCK-1L per lock to be added. 1 Base per system when Medeco plugin is required. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 1,190.48
3	GSC-1P-OFFLINELOCK-1L	1 part per Offline lock. Requires the Offline lock system base part. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 47.62
4	GSC-OM-P	GSC Omnicast™ Professional Package: Archiving support, Media Router, Audio, Remote Security Desk, Camera Sequences, Camera Blocking & Dewarping, Time Zone, Edge recording, trickling and archive transfer, Max. 250 cameras, 10 clients, 20 Archivers	\$ 1,345.23
5	GSC-OM-P-1BWC	1 body wearable camera connection is required for each body wearable camera holder	\$ 201.78
6	GSC-OM-P-1C	1 camera connection	\$ 273.81
7	GSC-OM-P-1DV	1 DVR/NVR camera input	\$ 174.64
8	GSC-OM-P-1PAC	1 analog camera connection (compatible with selected encoders)	\$ 77.88

PLAN MANAGER			
Item #	Product Name/Part #	Product Description	List Price
9	GSC-PM-Advanced	Advanced Plan Manager for GIS Map servers. Requires GSC-PM-STD-XXX. Genetec™ Advantage.	\$ 6,397.96
10	GSC-PM-STD-50	Genetec Security Center Synergis. Plan Manager for up to 50 entities - Unmanned Access Control System Up to 200 Cabinets.	\$ 2,797.62
11	GSC-PM-STD-100	Genetec Security Center Synergis. Plan Manager for up to 100 entities - Unmanned Access Control System Up to 400 Cabinets.	\$ 5,059.52
12	GSC-PM-STD-250	Plan Manager for up to 250 entities (cameras, doors, alarm panels, custom entities). Supports vector-based maps (PDF), intrusion mgt, PTZ control and field of view, customizable entity states, simple Bing maps support & Macros.	\$ 9,495.46

PLUGINS			
Item #	Product Name/Part #	Product Description	List Price
13	GSC-1AP-Bosch	Support 1 Bosch B/G Serie intrusion control panel connection. Requires the GSC-AP-Base and one of Standard, Professional or Enterprise packages (Synergis™ and/or Omnicast™). Mandatory Genetec™ Advantage.	\$ 471.47
14	GSC-1PADVANCEENROLL	1 Advanced Enrollment Plugin. 1 part per directory. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 5,024.43

Item #	Product Name/Part #	Product Description	List Price
15	GSC-1P-DYNLOGBOOK-BASE	1 part per Dynamic LOGBOOK integration for 5 Client workstations. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 4,041.09
16	GSC-1P-DYNLOGBOOK-CLIENT	1 additional Client station license. Requires GSC-1P-DYNLOGBOOK-Base per system. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 673.51
17	GSC-1P-KEYCABINETBASE	1 Asset Management Base Plugin. Requires individual cabinet parts to be added. 1 Base per system when asset manager plugin are required. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 2,020.54
18	GSC-1PLEN	1 Lenel OnGuard PACS plugin. 1 part per 750 readers. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 10,776.26
19	GSC-1P-OFFLINELOCK-1L	1 part per Offline lock. Requires the Offline lock system base part. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 53.88
20	GSC-1VLEN	1 Lenel OnGuard Video Translator. Only available with Professional or Enterprise packages (Synergis™ and/or Omnicast™).	\$ 10,776.26

SYNERGIS & MEDECO

Item #	Product Name/Part #	Product Description	List Price
21	GSC-AP-BASE	Intrusion Base component. 1 part required per system with any intrusion unit manufacturer. Requires the GSC-1AP-Manufacturer part per panel. Requires one of Standard, Professional or Enterprise packages (Synergis™ and/or Omnicast™). Mandatory Genetec™ Advantage.	\$ 1,737.78
21.5	GSC-BASE-E	Genetec Security Center (GSC) Base Enterprise Pkg. Incl Synergis Enterprise Pkg w/ Access Mgr support, Remote Security Desk, Badge Designer. Incl Omnicast Enterprise Pkg w/ Auxiliary/Archiving support, Media Router, Audio, Remote Security Desk, Camera Sequences, Blocking & Dewarping, Failover Cameras, Hardware Matrix Support, Time Zone, Edge recording, Keyboard & Joystick Support. Incl AutoVu Standard Pkg and Other features	\$ 5,707.78
22	GSC-Sy-P	GSC Synergis™ Professional Package software which includes: 2 Access Managers. Max. 256 readers, Max. 2 Access Managers, Max. 10 clients, Remote Security Desk, Badge Designer.	\$ 4,166.67
22.5	SY-CAB-BASE-XT	Base required to add MedecoXT to an existing Genetec system	\$ 1,244.44
23	SY-MEDXT- G3KEY-WCGR	Medeco XT SLIM KEY G3S & CHARGER KIT XT Intelligent Key	\$ 244.44
24	SY-MEDXTDONGLE	Medeco USB SYSTEM DONGLE, ENHANCED	\$ 71.50
25	SY-MEDXT-DSKUSB	Medeco XT Desktop USB Programming Station (order cable separately) EA-100109	\$ 374.44
26	SY-TRF-NA-1DR-XT	Traffic Style Cabinet Access Package - 1 door key override MedecoXTLock / XT License required for a 1 Door Cabinet (Offline access via XT intelligent key)	\$ 1,153.33
27	SY-TRF-NA-2DR-XT	Lock / XT License required for a 2 Doors Cabinet (Offline access via XT intelligent key)	\$ 2,306.67
28	SY-TRF-NA-3DR-XT	Traffic Style Cabinet Access Package for North America - 3 door key override MedecoXT	\$ 3,460.00
29	SY-TRF-NA-4DR-XT	Traffic Style Cabinet Access Package for North America - 4 door key override MedecoXT	\$ 4,612.22

Item #	Product Name/Part #	Product Description	List Price
30	SY-TRF-NA-1DR-MK	Lock / XT License required for a 1 Door Cabinet (Offline access via Mechanical key)	\$ 1,153.33
31	SY-TRF-NA-2DR-MK	Lock / XT License required for a 2 Doors Cabinet (Offline access via Mechanical key) (Avail for 1,2, 3 & 4 Doors Cabinet)	\$ 2,306.67
32	SY-CAB-ONLINE	Hardware and licenses required for online functions.	\$ 680.00
33	SY-CAB-RDR	Card Reader for 1 door cabinet	\$ 303.33
34	SY-CAB-KP	Multi-technology keypad reader, SEOS, Mobile, iCLASS and Prox to upgrade the Cabinet Access Package	\$ 514.44
35	SY-CAB-ADV-1Y	Genetec Advantage (SMA) for 1 cabinet, 1Y - Also available in 3yr & 5 yr	\$ 32.22

Please see below for GSC Base Package and typical traffic systems (parts & pricing from above line items)

21.5	GSC-BASE-E	Genetec Security Center (GSC) Base Enterprise Pkg.- Incl Security Center 5.11	\$ 5,707.78
22.5	SY-CAB-BASE-XT	Base required to add MedecoXT to an existing Genetec system	\$ 1,244.44
23	SY-MEDXT- G3KEY-WCGR	Medeco XT SLIM KEY G3S & CHARGER KIT XT Intelligent Key	\$ 244.44
25	SY-MEDXT-DSKUSB	Medeco XT Desktop USB Programming Station (order cable separately) EA-100109	\$ 374.44
SUBTOTAL - Base System			\$ 7,571.11

1 Door Cabinet - Typical

26	SY-TRF-NA-1DR-XT	Traffic Style Cabinet Access PKG - 1 door key override MedecoXTLock / XT License req for 1 Door Cabinet (Offline access via XT intelligent key)	\$ 1,153.33
32	SY-CAB-ONLINE	Hardware and licenses required for online functions.	\$ 680.00
33	SY-CAB-RDR	Card Reader for 1 door cabinet	\$ 303.33
35	SY-CAB-ADV-1Y	Genetec Advantage (SMA) for 1 cabinet, 1Y - Also available in 3yr & 5 yr	\$ 32.22
SUBTOTAL - 1 Door Cabinet - Typical			\$ 2,168.89

2 Door Cabinet - Typical

26	SY-TRF-NA-1DR-XT	Traffic Style Cabinet Access PKG - 1 door key override MedecoXTLock / XT License required for a 1 Door Cabinet (Offline access via XT intelligent key)	\$ 1,153.33
32	SY-CAB-ONLINE	Hardware and licenses required for online functions.	\$ 680.00
33	SY-CAB-RDR	Card Reader for 1 door cabinet	\$ 303.33
35	SY-CAB-ADV-1Y	Genetec Advantage (SMA) for 1 cabinet, 1Y - Also available in 3yr & 5 yr	\$ 32.22
SUBTOTAL - 2 Door Cabinet - Typical			\$ 2,168.89

Item #	Product Name/Part #	Product Description	List Price
3 Door Cabinet - Typical			
28	SY-TRF-NA-3DR-XT	Traffic Style Cabinet Access Package for North America - 3 door key override MedecoXT	\$ 3,460.00
32	SY-CAB-ONLINE	Hardware and licenses required for online functions.	\$ 680.00
34	SY-CAB-KP	Multi-technology keypad reader, SEOS, Mobile, iCLASS and Prox to upgrade the Cabinet Access Package	\$ 514.44
35	SY-CAB-ADV-1Y	Genetec Advantage (SMA) for 1 cabinet, 1Y - Also available in 3yr & 5 yr	\$ 32.22
SUBTOTAL - 3 Door Cabinet - Typical			\$ 4,686.67
4 Door Cabinet - Typical			
29	SY-TRF-NA-4DR-XT	Traffic Style Cabinet Access Package for North America - 4 door key override MedecoXT	\$ 4,612.22
32	SY-CAB-ONLINE	Hardware and licenses required for online functions.	\$ 680.00
34	SY-CAB-KP	Multi-technology keypad reader, SEOS, Mobile, iCLASS and Prox to upgrade the Cabinet Access Package	\$ 514.44
35	SY-CAB-ADV-1Y	Genetec Advantage (SMA) for 1 cabinet, 1Y - Also available in 3yr & 5 yr	\$ 32.22
SUBTOTAL - 4 Door Cabinet - Typical			\$ 5,838.89
36	OTHER GENETEC ITEMS NOT LISTED - TAKE 10% OFF LIST PRICE		10%



Miovision
Fisheye Cameras & Detection
2024 - Q1



Video Detection, Camera & Hardware				
Item #	Product Name	Product Code	Product Description	List Price
1	Miovision SmartView 360 1.1 (Heated, Bell Only)	SP-CAM360-BELL	Miovision SmartView 360 - 360 degree camera including bell housing only.	\$ 2,314.81 *
2	Miovision SmartView Approach	ITS-CAMAPPROACH	The Miovision SmartView Approach is a per-approach camera adding advance detection capability.	\$ 2,077.55 *
3	Miovision Core (NA)	NA-MIO-CTM-V1	Miovision Core (NA) - Miovision Core wireless connectivity, telemetry and sensor platform.	\$ 4,120.37 *
4	Miovision Core DCM (No Discrete Detection) (NA)	NA-MIO-CTM-DCM-V1	Miovision Core DCM (NA) - Miovision Core wireless connectivity, telemetry and sensor platform with Detection and Counts Hardware Module (DCM)	\$ 12,345.68 *
5	Miovision Core DCM with Discrete Detection (NA)	NA-MIO-DCM-V1	Miovision DCM Upgrade (NA) - Miovision Detection and Counts Module upgrade device. Requires Miovision Core (NA) hardware.	\$ 13,883.10 *
6	Miovision DCM Upgrade (NA) (with Discrete Detection)	NA-MIO-DCM-V1	Miovision DCM Upgrade (NA) - Miovision Detection and Counts Module upgrade device with discrete detection connection. Requires Miovision Core (NA) hardware.	\$ 11,516.20
Accessories				
Item #	Product Name	Product Code	Product Description	List Price
7	55 POS ADAPT C CABLE	SP-PT-CBL-ADAPTC	55 POS ADAPT C CABLE	\$ 513.12
8	Camera Mount - Bell Only	ITS-CAM-MNT-BELL	Camera Mount - Bell Only	\$ 219.91
9	Camera Mount (no ext) Horizontal - Clamp hub	SP-CAM-MNT-HRZ-CLAMP	Camera Mount (no extension) - Horizontal - Clamp hub	\$ 410.49
10	Camera Mounting Hub - Banding	ITS-PT-CAMHUB-BAND	Camera Mounting Hub - Banding	\$ 153.94
11	Camera Mounting Hub - Clamp	ITS-PT-CAMHUB-CLAMP	Camera Mounting Hub - Clamp	\$ 183.26
12	Cellular Antenna (Rabbit Ear Style)	ITS-PT-ANTENNA-RABBIT	Cellular Antenna (Rabbit Ear Style)	\$ 43.98
13	Core Rack Mount Shelf	ITS-CORE-RACKSHELF-TEES33X	Core Rack Mount Shelf. A 19" rack mount shelf for mounting Core or Core DCM in a TEES/33x cabinet.	\$ 293.21
14	D-Cable for Econolite ASC2/3 - Cabinet side	SP-DCBL-ASC23-CAB	D-Cable for Econolite ASC2/3 - Cabinet side	\$ 366.51
15	DB25 Serial Cable	ITS-PT-SERIAL-DB25	DB25 Serial Cable	\$ 21.99
16	DB9 Serial Cable	ITS-PT-SERIAL-DB9	DB9 Serial Cable	\$ 21.99
17	Miovision SmartLink (NA) - no cables or antenna - RMA	ITS-SLINK-NOCBL-NA	Miovision SmartLink - no cables or antenna	\$ 4,104.94
18	Miovision SmartLink Hard Drive Upgrade 512GB	SP-SSD450-US	Solid-state 512GB industrial temperature rated hard drive upgrade for the Miovision SmartLink	\$ 1,026.23
19	Miovision SmartSense (no cables)	SP-VIDANLYZ-NOCBL	Miovision SmartSense (no cables) - Multimodal video detection, basic traffic counts, and remote detection configuration	\$ 12,314.81
20	Miovision SmartSense (L4) (No Cables)	ITS-SMARTSENSE-L4-NOCBL	Miovision SmartSense (L4) (No Cables)	\$ 12,314.81
21	Naztech 980 Serial Cable	ITS-PT-CBL-NAZ980	Naztech 980 Serial Cable Serial cable that provides connection between Naztec 980 controllers with no Ethernet port to Miovision SmartLink.	\$ 102.62
22	PoE Power Injector (Inline)	SP-PT-POEINJ	PoE Power Injector (Inline)	\$ 1,172.84

Item #	Product Name	Product Code	Product Description	List Price
23	PoE Switch for Miovision Advanced Detection	ITS-POE SWITCH	PoE Switch to support Miovision Advanced Detection Camera	\$ 755.02
24	Power Adapter for SmartLink and Interface	SP-PA-SL-IN	Power Adapter for SmartLink and Interface	\$ 87.96
25	Power Adapter for SmartSense	SP-PA-SS	Power Adapter for SmartSense	\$ 168.60
26	SDLC DB25 Cable 6 ft.	ITS-SDLC-DB25-6FT	SDLC DB25 Cable 6 ft.	\$ 80.63
27	SDLC Y Cable (DB15)	ITS-CORE-SDLC-Y-DB25-Cable	SDLC Y Cable (DB15) Miovision CORE	\$ 87.96
28	SDLC Y-Cable	ITS-SDLC-YCABLE	SDLC Y-Cable	\$ 115.82
29	SmartLink Enclosure (Steel, 16x16x6)	SP-SMRTLNK-ENC-STL	SmartLink Enclosure (Steel, 16x16x6)	\$ 1,466.05
30	SmartLink Rack Mount Accessory	ITS-SL-RACKMNT	SmartLink Rack Mount Accessory	\$ 67.44
31	TrafficLink Antenna	ITS-PT-ANT	TrafficLink Antenna with LTE/WIFI/GPS/DSRC 6ft	\$ 366.51
32	TrafficLink Interface (ABCD)	SP-INT-ABCD	TrafficLink Interface (ABCD) - Adaptor device to allow connectivity to NEMA ABCD style controllers	\$ 2,932.10
33	TrafficLink Interface (EF-140)	SP-INT-EF140	TrafficLink Interface (EF-140) - Adaptor device to allow connectivity to NEMA EF-140 style controllers	\$ 2,932.10
34	TrafficLink Interface (LMD40)	SP-INT-LMD40	TrafficLink Interface (LMD40)	\$ 2,932.10
35	TrafficLink Interface (SDLC)	SP-INT-SDLC	TrafficLink Interface (SDLC) - Adaptor device to allow connectivity to SDLC based controllers and detectors	\$ 1,466.05
36	TrafficLink Network Integration (NA)	ITS-NETINT-NA	TrafficLink Network Integration	\$ 7,330.25
37	Universal Camera Extension	SP-CAM360-EXT	Universal Camera Extension - 6ft extension used for both vertical and horizontal installs	\$ 586.42
38	Universal Camera Mount with Universal Hub	SP-CAM360-UNIMOUNT	Universal Camera Mount with Universal Hub - Camera mount used for both vertical and horizontal installs	\$ 703.70
39	Universal Hub	SP-CAM360-HUB	Universal Hub - Mounting bracket to accommodate banding configurations for both vertical and horizontal installs	\$ 293.21
40	ASY Power Cable NA with IEC-320-C13	SP-PA-SPC	Standard Power Cord	\$ 7.33
41	ASY Pigtail Power Cable with IEC-320-C13	SP-PA-PPC	Pigtail Power Cord	\$ 7.33
42	AS-0710-84-21.5-84-PNC	AS-0710-84-21.5-84-PNC	Camera Bracket, Stellar, Miovision, Watertight Sch 40 Bent Tube w/ Extension, Cable, Alum. Height 84", Extension 21.5", Cable Length 84"	\$ 355.85
43	SKY SBC120-PEN	SKY Candy Cane	Pendant Camera Mount, 120" Galvanized Cable	\$ 261.40
44	Catv-5e Shielded Cable	Catv-5e Shielded Cable	Catv-5e Shielded Non-Plenum Data Cable, 4 Pair Solid, 24AWG, 350MHZ, Outdoor DB, Temp Rating -45°C to 75°C,	\$ 0.66

Services, Data, Licenses & Software

Item #	Product Name	Product Code	Product Description	List Price
45	SmartLink Upgrade - Network Integration Device	ITS-UPGRADE-SL-INT	SmartLink Upgrade - Network Integration Device	\$ 2,814.81
46	TrafficLink Extended Warranty (5 years)	SP-WARRANTY-EXT	TrafficLink Extended Warranty (5 years)	\$ 2,462.96
47	TrafficLink Product Training software/hardware	SP-TRAINING	TrafficLink Product Training (software and hardware) - Onsite or remote product training from Miovision Sales Engineer	\$ 3,518.52
48	Managed LTE Connectivity (1GB)	ITS-MNGDATA-1GB	Managed LTE Connectivity (1GB) per intersection per 12 month term.	\$ 261.78

Item #	Product Name	Product Code	Product Description	List Price	
49	TrafficLink Intersection Monitoring	ITS-INT-MONITOR	TrafficLink Intersection Monitoring Real time cabinet telemetry, smart infrastructure alerts, remote cabinet device access, and video streaming & recall through the web-based TrafficLink portal.	\$ 293.75	*
50	Miovision TrafficLink Safety Analytics	ITS-SW-SAFETY	Miovision TrafficLink Safety Analytics Includes red light runner and pedestrian compliance reports that provide immediate insight into vehicle and pedestrian behaviour to help you proactively identify unsafe intersections.	\$ 375.00	
51	TrafficLink Continuous Counts	ITS-SW-DETECTCOUNTS	TrafficLink Continuous Counts Continuous multimodal traffic counts with cloud-based count storage, dashboard, reporting tools, API, configuration, and software updates.	\$ 1,125.00	*
52	TrafficLink Partner Demo Software	ITS-SW-DEMO	TrafficLink Partner Demo Software. Includes all software features (Communications, Performance, Detection).	\$ 750.00	
53	TrafficLink Performance Measures	ITS-SW-PERF	TrafficLink Performance Measures A cloud-hosted solution that proactively surfaces inefficient operations using ATSPM data. Users also have access to 12 ATSPM metrics for detailed analysis, Travel Time information, and a before/after comparison tool to measure impact.	\$ 1,125.00	*
54	Miovision Detection	ITS-SW-SS-DETECTION	Miovision Detection - Video detection license to enable detection and actuation capability and configuration. Compatible with Miovision SmartSense.	\$ 3,703.70	*
55	Miovision Detection Plus	ITS-SW-SS-DETECTION-PLUS	Miovision Detection Plus Video detection license to enable detection and actuation capability and configuration. Compatible with Miovision SmartSense. The Detection Plus License includes access to to rolling 90-day Turning Movement Counts available for CSV export, and the following detection metrics: Arrivals on Red, Arrivals on Green, Occupancy Ratio and Phase Interval.	\$ 6,962.96	*
56	Miovision Detection Plus Upgrade	ITS-SW-SS-DETECTION-PLUS-UPGRADE	Miovision Detection Plus Upgrade Adds Detection Plus capability to a base detection license. Compatible with Miovision SmartSense. The Detection Plus License includes access to rolling 90-day Turning Movement Counts available for CSV export, and detection metrics: Arrivals on Red, Arrivals on Green, Occupancy Ratio and Phase Interval.	\$ 5,056.00	*
57	Full Signal Services	SIGNAL SERVICES	Signal Services - call AM Signal for details	\$ 16,500.00	

Traffop ATSPM Software & Services / Microtraffic Adaptive

Item #	Product Name/Part #	Product Description	List Price	10% Discount
<i>Contact AM Signal for pricing based on services needed per location.</i>				



Opticom Detectors & Emitters

Miovision

2024 - Q1



Detectors, Emitters, Sensors, Software and Accessories			
Item #	Product Code	Product Description	List Price
1	Model 9004	Canoga model 9004 traffic sensing card, 4 channel	\$ 1,533.71
2	Cable 9 Pin	Cable, null modem, 9 PIN F to F, 15 feet (4.57 m) long	\$ 59.43
3	Model C924X	Four-channel North American 924X vehicle detector with delay and extend timing, opto isolated outputs and front panel adjustment capabilities	\$ 1,259.43
4	Canoga Vehicle Detectors	Cable, null modem, 9 PIN, 15 feet (4.57 m) long	\$ 59.43
5	Model 9004	Canoga 9004 traffic-sensing card, 4 channel (Configuration software for Canoga 9004 vehicle detector-free download on customer portal - no charge)	\$ 1,533.71
6	Model 702-1	Single 702-1 Microloop sensor assembly with 75 ft. (22 m) lead-in cable	\$ 432.00
7	Model 702-1	Single 702-1 Microloop sensor assembly with 150 ft. (45 m) lead-in cable	\$ 526.86
8	Model 702-1	Single 702-1 Microloop sensor assembly with 500 ft. (152 m) lead-in cable	\$ 833.14
9	Model 702-2	Single 702-2 Microloop sensor assembly with 75 ft. (22 m) lead-in cable separation between sensors.	\$ 860.57
10	Model 702-2	Single 702-2 Microloop sensor assembly with 150 ft. (45 m) lead-in cable separation between sensors.	\$ 1,052.57
11	Model 702-3	Single 702-3 Microloop sensor assembly with 75 ft. (22 m) lead-in cable. 4 ft. (1.2 m) cable separation between sensors	\$ 1,237.71
12	Model 702-3	Single 702-3 Microloop sensor assembly with 150 ft. (45 m) lead-in cable. 4 ft. (1.2 m) cable separation between sensors	\$ 1,385.14
13	Model 702-3	Single 702-3 Microloop sensor assembly with 500 ft. (152 m) lead-in cable. 4 ft. (1.2 m) cable separation between sensors	\$ 1,536.00
14	Model 702-3	Single 702-3 Microloop sensor assembly with 1,000 ft. (304.8 m) lead-in cable. 4 ft. (1.2 m) cable separation between sensors	\$ 2,208.00
15	Model 702	Installation kit, 702 non-invasive Microloop	\$ 357.71
16	Model 702	Carrier package @ 50 units, 702 non-invasive Microloop	\$ 680.00
17	Model C30003	Canoga home-run cable 1,000 ft. (304.8 m)/spool.	\$ 1.81
18	Model C30003	Canoga home-run cable 2,500 ft. (762 m)/spool. One quarter inch (1/4" [.64 cm]) diameter polyethylene jacketed, 4 conductor, #18 AWG waterproof, shielded cable. This cable is recommended for home-run service on one or two channels of detection with Canoga C900 and TMC vehicle detectors. Price per foot.	\$ 1.81
19	Model 832	Communication module. The communication module enhances the communication capability of the rear serial port of Canoga C900 vehicle detectors or traffic monitoring cards.	\$ 253.71
20	Model 138	Detector cable 500 ft. (152.4 m) spool, priced per foot	\$ 0.95
21	Model 138	Detector cable 1,000 ft. (304.8 m) spool, priced per foot	\$ 0.95
22	Model 575	Confirmation light kit	\$ 137.14

Item #	Product Code	Product Description	List Price
23	Model 711	Detector, single channel, one direction	\$ 686.86
24	Model 721	Detector, single channel, two directions	\$ 785.14
25	Model 722	Detector, two channel, two directions	\$ 1,044.57
26	Model 708	Span wire clamp (1/2" [.95 cm] diameter)	\$ 74.29
27	Model 755	Four channel adapter card	\$ 110.86
28	Model 760	Card rack with P1 harness assembly	\$ 641.14
29	Model 760-P1	Harness assembly	\$ 109.71
30	Model 762	Phase selector (2 channel)*	\$ 3,152.00
31	Model 764	Multimode phase selector*	\$ 3,594.29
32	Model 768	Multimode auxiliary interface panel	\$ 805.71
33	Model 770	Gate opener card rack with 100 ft. [30.48 m], 138 cable	\$ 721.14
34	Model 762	Phase selector (2 channel)**	\$ 3,152.00
35	Model 721	Detector, single channel, two directions	\$ 785.14
36	Model 794H	LED emitter (high-priority) *	\$ 1,667.43
37	Model 794L	LED emitter (low-priority) *	\$ 1,667.43
38	Model 794R	LED emitter (range control) **	\$ 1,667.43
39	Model 794T	LED emitter (low-priority for transit only)*	\$ 1,666.29
40	Model RC790	Remote coding unit (for use with 794 LED emitters only; batteries not included)	\$ 514.29
41	Model 793B	Emitter switch (on/off "L" bracket)	\$ 116.57
42	Model 793R	Emitter switch (range control box)	\$ 571.43
43	Model 793S	Emitter switch (on/off box)	\$ 314.29
44	Model 792H	Emitter (high-priority)	\$ 1,645.71
45	Model 792HF	Emitter (high-priority with visible light filter)	\$ 1,736.00
46	Model 792T	Emitter (low-priority with visible light filter)	\$ 1,732.57
47	Model 711	5 year extended warranty - detector, single channel, one direction	\$ 103.03
48	Model 721	5 year extended warranty - detector, single channel, two directions	\$ 117.77
49	Model 722	5 year extended warranty - detector, two channel, two directions	\$ 156.69
50	Model 762	5 year extended warranty - phase selector (2channel)*	\$ 472.80
51	Model 764	5 year extended warranty - multimode phase selector*	\$ 539.14
52	Model 794H	5 year extended warranty - LED emitter (high-priority)	\$ 250.11
		Call AM Signal for extended price list	

Item #	Product Code	Product Description	List Price
54	Model 794R	5 year extended warranty - LED emitter (range control)	\$ 250.11
55	Model 794T	5 year extended warranty - LED emitter (low-priority, for transit only)	\$ 249.94
56	Model 792H	5 year extended warranty - emitter (high-priority)	\$ 246.86
57	Model 792HF	5 year extended warranty - emitter (high-priority, with visible light filter)	\$ 260.40
58	Model 792T	5 year extended warranty - emitter (low-priority, with visible light filter)	\$ 259.89
59	Model 760	Card rack with P1 harness assembly 5 year extended warranty	\$ 96.17
60	Model 770	Gate opener card rack with 100 ft. [30.48 m], 138 cable 5 year extended warranty	\$ 108.17
61	Opticom ITS link suite sw components	Serial communication cable (RS-232 serial cable for 790CS emitter programming)	\$ 34.29
62	Opticom ITS link suite software components	790CS emitter programming Y-cable. Cables are required for installation of the free software. For 792/794 emitters	\$ 628.57
63	Model RC790	Remote coding unit (for use with 794 LED emitters only; batteries not included)	\$ 514.29
64	Model 798	Emitter bezel mount kit	\$ 342.86
65	Model 795CS	Low-profile emitter programming cable	\$ 571.43
66	Opticom Spare Parts	794/494 hardware installation kit (also for use with 792/492)	\$ 115.43
67	Opticom Spare Parts	794/494 emitter cable assembly (25 ft. [7.62m], black) (also for use with 792/492)	\$ 257.14
68	Model 760	Card rack with P1 harness assembly	\$ 641.14
69	Model 760-P1	Harness assembly	\$ 109.71
70	Model 764	Multimode phase selector	\$ 3,594.29
71	Model 768	Multimode auxiliary interface panel	\$ 805.71
72	Model 770	Gate opener card rack with 100 ft. [30.48 m], 138 cable	\$ 721.14
73	Model 3100	Opticom radio intersection antenna unit	\$ 3,569.14
74	Model 1070	Radio installation cable - 500 ft. (304.8 m) spool, price per foot	\$ 1.94
75	Model 1070	Radio installation cable - 1,000 ft. (152.4 m) spool, price per foot	\$ 1.94
76	Model 764	Multimode phase selector	\$ 3,594.29
77	Model 770	Gate opener card rack with 100 ft. [30.48 m], 138 cable	\$ 721.14
78	Model 3100	Opticom radio intersection antenna unit	\$ 3,569.14
79	Model 1070	Radio installation cable - 500 ft. (152.4 m) spool, price per foot	\$ 1.94
80	Model 764 Warranty	5 year extended warranty - 764 multimode phase selector	\$ 539.14
81	Model 768 Warranty	5 year extended warranty - 768 multimode auxiliary interface panel	\$ 120.86
82	Model 3100 Warranty	5 year extended warranty - 3100 intersection antenna unit	\$ 535.37
83	Opticom Vehicle Kits	Radio preemption vehicle kit (high-priority) series 2000	\$ 4,195.43
84	Opticom Vehicle Kits	Radio transit signal priority vehicle kit (low-priority) series 2000	\$ 4,195.43

Item #	Product Code	Product Description	List Price
85	Model 4010	Universal vehicle computer kit	\$ 3,035.43
86	Opticom Vehicle Equipment	5 year extended warranty - Radio preemption vehicle kit (high-priority), series 2000	\$ 629.31
87	Opticom Vehicle Equipment	5 year extended warranty - Radio transit signal priority vehicle kit (low-priority), series 2000	\$ 629.31
88	Opticom IntelliGreen	Radio IntelliGreen kit	\$ 8,351.66
89	Opticom IntelliGreen	5 year extended warranty - Radio IntelliGreen kit	\$ 1,252.57
90	Model 4210	Transit signal priority- software	\$ 1,324.57
91	Model 4280	Advanced schedule management- software	\$ 1,992.00
92	Opticom Software	Vehicle Management - 1 vehicle license	\$ 313.14
93	Model 1050	Radio antenna	\$ 288.00
94	Model 2100	High-priority radio control unit	\$ 4,285.71
95	Model 2101	Low-priority radio control unit	\$ 4,285.71
96	Model 210	Vehicle interface cable	\$ 170.29
97	Model 211	Vehicle interface cable with dead reckoning	\$ 262.86
98	Model 2173	Vehicle interface cable adapter	\$ 114.29
99	Radio Vehicle HW Installation Kit	Radio Vehicle Hardware Installation Kit	\$ 126.86
100	Model 760-P1	P1 harness for 760 / 1040	\$ 109.71
101	Opticom Spare Parts	Opticom radio antenna stud extender (used with 1050)	\$ 48.00
102	Opticom Spare Parts	Serial communication cable (RS-232 serial cable for 790CS emitter programming)	\$ 34.29
103	Model 764	Multimode phase selector	\$ 3,594.29
104	Model 755	Four channel adapter card	\$ 110.86
105	Model 760	Card rack with P1 harness assembly	\$ 641.14
106	Model 792HM	Multimode strobe emitter (high-priority)	\$ 2,438.86
107	Model 792TM	Multimode strobe emitter (low-priority)	\$ 1,913.14
108	Model 794HM	Multimode emitter (high-priority)	\$ 1,913.14
109	Model 794TM	Multimode emitter (low-priority)	\$ 1,913.14
110	Model 764 warranty	5 Year extended warranty - 764 multimode phase selector	\$ 539.14
111	768 warranty	5 Year extended warranty - 768 multimode auxiliary interface panel	\$ 120.86
112	792HM warranty	5 Year extended warranty - 792HM multimode strobe emitter (high-priority)	\$ 365.83
113	792TM warranty	5 Year extended warranty - 792TM multimode strobe emitter (low-priority)	\$ 286.97
114	794HM warranty	5 Year extended warranty - 794HM multimode emitter (high-priority)	\$ 286.97
115	794TM warranty	5 Year extended warranty - 794TM multimode emitter (low-priority)	\$ 286.97

Item #	Product Code	Product Description	List Price
116	Opticom Vehicle Kit HP 2000	Multimode vehicle kit (high-priority) series 2000	\$ 5,724.57
117	Opticom Vehicle Kits	Multimode vehicle kit (low-priority) series 2000	\$ 5,724.57
118	Opticom Vehicle Kits Extended Warranty	5 Year extended warranty - multimode vehicle kit (high-priority) series 2000	\$ 858.69
119	Opticom Vehicle Kits Extended Warranty	5 Year extended warranty - multimode vehicle kit (low-priority) series 2000	\$ 858.69
120	Opticom Central Management Software	Central Management Software intersection license - Sold in increments of 5, up to 75 intersections - Sold in increments of 25, after 75 intersections	\$ 1,234.29
121	Opticom Central Management Software	Central Management Software vehicle license- Sold in increments of 5, up to 75 vehicles - Sold in increments of 25, after 75 vehicles	\$ 1,234.29
122	Model 8200	Portable vehicle unit - not available for resale	\$ -
123	Opticom CMS Software Maintenance	Annual Software Maintenance for Opticom CMS (per intersection)	\$ 185.14
124	Opticom CMS Software Maintenance	Annual Software Maintenance for Opticom CMS (per vehicle)	\$ 185.14
125	Opticom Signal Core Device	Signal Core Hardware, Device, and Antenna	\$ 4,937.14
126	Opticom Signal Core Subscription 1 yr	One Year of Service	\$ 734.86
127	Opticom Signal Core Subscription 10 yr	Ten Years of service	\$ 918.57
128	Call for for pricing on Central Mgt Software Training & Installation. Quantity discounts available. All other Miovision Opticom products not list take 5% off list price.		5% Discount



SWITCHES

MOXA

2024 - Q1



MOXA

Item #	Product Name/Part #	Product Description	List Price
1	Moxa has an extensive product list of over 2,500 items including Industrial Network Security & Industrial Wireless Products, Industrial Computing, Industrial Network Infrastructure, Device Connectivity Products, Cybersecurity Products and Managed/Unmanaged Switches. Please contract your AM Signal Sales Rep for pricing on Moxa products not listed or for assistance on determining which Moxa product will best fit your needs.		
2	SFP-1GLHXLC	Small Form Factor pluggable transceiver with 1000BaseLHX, LC connector, 40 km, 0 to 60°C	\$ 861.65
3	SFP-1GLHXLC-T	Small Form Factor pluggable transceiver with 1000BaseLHX, LC connector, 40 km, -40 to 85°C	\$ 914.18
4	SFP-1GLSXLC	Small Form Factor pluggable transceiver with 1000BaseSX+, LC connector, 2Km, 0 to 60°C	\$ 312.38
5	SFP-1GLSXLC-T	Small Form Factor pluggable transceiver with 1000BaseSX+, LC connector, 2Km, -40 to 85°C	\$ 380.46
6	SFP-1GLXLC	Small Form Factor pluggable transceiver with 1000BaseLX, LC connector, 10 km, 0 to 60°C	\$ 282.80
7	SFP-1GLXLC-T	Small Form Factor pluggable transceiver with 1000BaseLX, LC connector, 10 km, -40 to 85°C	\$ 328.19
8	SFP-1GSXLC	Small Form Factor pluggable transceiver with 1000BaseSX, LC connector, 0.5 km, 0 to 60°C	\$ 157.85
9	SFP-1GSXLC-T	Small Form Factor pluggable transceiver with 1000BaseSX, LC connector, 0.5 km, -20 to 75°C	\$ 214.71
10	SFP-1GTXRJ45-T	SFP module with 10/100/1000 Base-T port, RJ-45 Connector, -40~75°C Operation Temperature	\$ 374.60
11	EDS-G509	Managed full Gigabit Ethernet switch with 4 10/100/1000BaseT(X) ports, and 5 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE series Gigabit/fast Ethernet modules, 0 to 60°C operating temperature	\$ 2,742.02
12	EDS-G509-T	Managed full Gigabit Ethernet switch with 4 10/100/1000BaseT(X) ports, and 5 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE series Gigabit/fast Ethernet modules, -40 to 75°C operating temperature	\$ 2,968.97
13	EDS-G512E-4GSFP	Managed full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, and 4 100/1000Base SFP slots, -10°C to 60°C operating temperature	\$ 1,588.40
14	EDS-G512E-4GSFP-T	Managed full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, and 4 100/1000Base SFP slots, -40°C to 75°C operating temperature	\$ 1,724.57
15	EDS-G512E-8PoE-4GSFP	12-port full Gigabit managed Ethernet switch, 8 10/100/1000BaseT PoE/PoE+ ports, 4 100/1000BaseSFP slots, -10 to 60°C operating temperature	\$ 2,083.35
16	EDS-G512E-8PoE-4GSFP-T	12-port full Gigabit managed Ethernet switch, 8 10/100/1000BaseT PoE/PoE+ ports, 4 100/1000BaseSFP slots, -40 to 75°C operating temperature	\$ 2,253.69

Item #	Product Name/Part #	Product Description	List Price
17	EDS-G516E-4GSFP	Managed full Gigabit Ethernet switch with 12 10/100/1000BaseT(X) ports, and 4 100/1000Base SFP slots, -10°C to 60°C operating temperature	\$ 1,985.69
18	EDS-G516E-4GSFP-T	Managed Full Gigabit Ethernet switch with 12 10/100/1000Base T(X) ports, and 4 100/1000Base SFP slots, -40C to 75C operating Temp	\$ 2,121.86
19	EDS-P506E-4PoE-2GTXSFP	Managed Ethernet PoE Switch with 4 PoE+/60W 10/100BaseT(X) ports, 2 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -10 to 60°C operating temperature, dual 12/24/48VDC power inputs	\$ 1,225.02
20	EDS-P506E-4PoE-2GTXSFP-T	Managed Ethernet PoE Switch with 4 PoE+/60W 10/100BaseT(X) ports, 2 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -40 to 75°C operating temperature, dual 12/24/48VDC power inputs	\$ 1,338.50
21	EDS-P510	Managed Gigabit Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 3 10/100/1000BaseT(X) or 100/1000BaseSFP slots combo ports, 0 to 60°C	\$ 2,042.30
22	EDS-P510A-8PoE-2GTXSFP	Managed Ethernet PoE Switch with 8 PoE+ ports, 2 combo gigabit Ethernet ports, -10 to 60°C	\$ 1,645.01
23	EDS-P510A-8PoE-2GTXSFP-T	Managed Ethernet PoE Switch with 8 PoE+ ports, 2 combo gigabit Ethernet ports, -40 to 75°C	\$ 1,815.35
24	EDS-P510-T	Managed Gigabit Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 3 10/100/1000BaseT(X) or 100/1000BaseSFP slots combo ports, -40 to 75°C	\$ 2,212.64
For all other Moxa products not listed - 10% off list price.			



EMITTER SYSTEMS

TOMAR
2024 - Q1



4000 SERIES STROBECOM II DETECTORS			
Item #	Product Name	Product Description	List Price
1	4090-1-SD	Strobecom II detector assembly – 1-Head, 1-Direction, 1-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs	\$ 481.10
2	4090-21-SD	Strobecom II detector assembly – 2-Head, 1-Direction, 1-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs	\$ 558.82
3	4090-22-SD	Strobecom II detector assembly – 2-Head, 2-Direction, 2-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs	\$ 798.31
4	4090-1-ST	Strobecom II self-testing detector assembly – 1-Head, 1-Direction, 1-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs	\$ 515.83
5	4090-21-ST	Strobecom II self-testing detector assembly – 2-Head, 1-Direction, 1-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs	\$ 587.06
6	4090-22-ST	Strobecom II self-testing detector assembly – 2-Head, 2-Direction, 2-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs	\$ 816.73
7	4090-1-SD-IC-x	Strobecom II detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation light – 1-Head, 1-Direction, 1-Channel, 1-LED conf light, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 580.32
8	4090-21-SD2IC-x	Strobecom II detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation lights – 2-Head, 2-Direction, 1-Channel, 2-LED conf lights, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 773.30
9	4090-21-SD1IC-x	Strobecom II detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation lights – 2-Head, 1-Direction, 1-Channel, 1-LED conf light, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 715.72
10	4090-22-SD-IC-x	Strobecom II detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation lights – 2-Head, 2-Direction, 2-Channel, 2-LED conf lights, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 967.18
11	4090-1-ST-IC-x	Strobecom II self-testing detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation light – 1-Head, 1-Direction, 1-Channel, 1-LED conf light, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 606.11
12	4090-21-ST2IC-x	Strobecom II self-testing detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation lights – 2-Head, 2-Direction, 1-Channel, 2-LED conf lights, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 802.96

Item #	Product Name	Product Description	List Price
13	4090-21-ST1IC-x	Strobecom II self-testing detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation light – 2- Head, 1-Direction, 1-Channel, 1-LED conf light, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 745.39
14	4090-22-ST-IC-x	Strobecom II self-testing detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation lights – 2- Head, 2-Direction, 2-Channel, 2-LED conf lights, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. For use with 4000V2 series OSPs. Not compatible with OSPOC OSPs. x denotes LED color (B)lue or (W)hite	\$ 986.54
15	4140V2-4	Strobecom II Optical Signal Processor – 4 channel, with logging and Ethernet port. Integrated Confirmation Enabled	\$ 3,108.80
16	4140V2-2	Strobecom II Optical Signal Processor – 2 channel, with logging and Ethernet port. Integrated Confirmation Enabled	\$ 2,208.01
17	4140V2W-4	Strobecom II Optical Signal Processor – 4 channel, with logging, Ethernet port, and wide front panel. Integrated Confirmation Enabled	\$ 3,108.80
18	4140V2W-2	Strobecom II Optical Signal Processor – 2 channel, with logging, Ethernet port, and wide front panel. Integrated Confirmation Enabled	\$ 2,208.01
19	4080V2-4	Strobecom II Optical Signal Processor – 4 channel, Integrated Confirmation Enabled	\$ 2,081.87
20	4080V2-2	Strobecom II Optical Signal Processor – 2 channel, Integrated Confirmation Enabled	\$ 1,251.55
21	4080V2W-4	Strobecom II Optical Signal Processor – 4 channel, with wide front panel, Integrated confirmation Enabled	\$ 2,081.87
22	4080V2W-2	Strobecom II Optical Signal Processor – 2 channel, with wide front, Integrated Confirmation Enabled	\$ 1,251.55

DETOC SERIES OPTICOM COMPATIBLE DETECTORS

Item #	Product Name	Product Description	List Price
23	DETOC1	OPTICOM compatible detector assembly – 1-Head, 1-Direction, 1-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring.	\$ 491.27
24	DETOC21	OPTICOM compatible detector assembly – 2-Head, 1-Direction, 1-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring.	\$ 558.82
25	DETOC22	OPTICOM compatible detector assembly – 2-Head, 2-Direction, 2-Channel, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. FOR USE WITH TOMAR OSPOC OPTICAL SIGNAL PROCESSORS OR 3M/GTT 200, 500, OR 700 SERIES PHASE SELECTORS ONLY	\$ 798.31
26	DETOC1-IC-x	OPTICOM compatible detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation light – 1- Head, 1-Direction, 1-Channel, 1-LED conf light, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. FOR USE WITH TOMAR OSPOCV2 OPTICAL SIGNAL PROCESSORS ONLY. x denotes LED color (B)lue or (W)hite	\$ 580.32

Item #	Product Name	Product Description	List Price
27	DETOC21-2IC-x	OPTICOM compatible detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation lights – 2- Head, 2-Direction, 1-Channel, 2-LED conf lights, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. FOR USE WITH TOMAR OSPOCV2 OPTICAL SIGNAL PROCESSORS ONLY. x denotes LED color (B)lue or (W)hite	\$ 773.30
28	DETOC21-1IC-x	OPTICOM compatible detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation light – 2- Head, 1-Direction, 1-Channel, 1-LED conf light, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. FOR USE WITH TOMAR OSPOCV2 OPTICAL SIGNAL PROCESSORS ONLY. x denotes LED color (B)lue or (W)hite	\$ 715.72
29	DETOC22-IC-x	OPTICOM compatible detector assembly INTEGRATED CONFIRMATION ENABLED with LED confirmation lights – 2- Head, 2-Direction, 2-Channel, 2-LED conf light, ¾” pipe mount. Tool-less tilt and swivel aim, fully potted with internal terminal block for field wiring. FOR USE WITH TOMAR OSPOCV2 OPTICAL SIGNAL PROCESSORS ONLY. x denotes LED color (B)lue or (W)hite	\$ 967.18

OSPOC SERIES OPTICOM COMPATIBLE OPTICAL SIGNAL PROCESSORS

Item #	Product Name	Product Description	List Price
30	OSPOCV2-4	OPTICOM compatible Optical Signal Processor – 4 channel, with logging and Ethernet port, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 3,108.80
31	OSPOCV2-2	OPTICOM compatible Optical Signal Processor – 2 channel, with logging and Ethernet port, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 2,208.01
32	OSPOCWV2-4	OPTICOM compatible Optical Signal Processor – 4 channel, with logging and Ethernet port, wide front panel, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 3,108.80
33	OSPOCWV2-2	OPTICOM compatible Optical Signal Processor – 2 channel, with logging and Ethernet port, wide front panel, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 2,208.01
34	OSPOC8V2-4	OPTICOM compatible Optical Signal Processor – 4 channel, no logging, no communications, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 2,081.87
35	OSPOC8V2-2	OPTICOM compatible Optical Signal Processor – 2 channel, no logging, no communications, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 1,251.55
36	OSPOCW8V2-4	OPTICOM compatible Optical Signal Processor – 4 channel, no logging, no communications, wide front panel, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 2,081.87
37	OSPOCW8V2-2	OPTICOM compatible Optical Signal Processor – 2 channel, no logging, no communications, wide front panel, Integrated Confirmation Enabled. FOR USE WITH TOMAR DETOC & GTT 700 SERIES DETECTORS	\$ 1,251.55

STROBECOM II INTERSECTION ACCESSORIES

Item #	Product Name	Product Description	List Price
38	OSPSOFT-USB	OSP Configuration Software for 2140, 3140, 4140, and OSPOC series OSPs	\$ 479.76
39	TCONF-CBL	True confirmation cable	\$ 74.63
40	1881	Card cage and cable harness	\$ 222.90
41	2140-GPMON	Optically Isolated 8 Phase Green Monitor for 2140, 3140, 4140, and OSPOC OSPs	\$ 256.90

Item #	Product Name	Product Description	List Price
42	2086	Aux transit band output module for 2140, 3140, 4140, and OSPOC OSPs	\$ 479.76
43	M913-500	Detector cable, 3 conductor shielded – 500' reel	\$ 501.55
44	M913-1000	Detector cable, 3 conductor shielded – 1000' reel	\$ 1,003.08
45	M913-2500	Detector cable, 3 conductor shielded – 2500' reel	\$ 2,541.66
46	4091-S	4090 and DETOC detector span wire mount	\$ 68.07
47	MAST-MNT-KIT	4090 and DETOC mast arm mounting kit ¾"-14NPT	\$ 90.01
48	804-110-x	804-110-A MAXISTROBE I. X denotes lens color, B=Blue, C= Clear(White). Medium Profile - Single Flash Warning Light	\$ 435.58
49	R13LWP-SCII-x	Replacement LED confirmation light for 4090 and DETOC with IC detector assemblies. x denotes LED color (B)lue or (W)hite	\$ 71.49

STROBECOM II EMITTERS			
Item #	Product Name	Product Description	List Price
50	3065	Strobecom II self-contained programmable coded emitter with SAE J1708 port – 3 x 7 rectangular head. Black polycarbonate housing	\$ 897.89
51	3065-CHROME	Strobecom II self-contained programmable coded emitter with SAE J1708 port – 3 x 7 rectangular head. Chromed ABS housing.	\$ 954.01
52	3065-R	Strobecom II programmable coded emitter with SAE J1708 port and separate remote mounted 3 x 7 rectangular lighthouse	\$ 897.89
53	3065-R-OML	Strobecom II programmable coded emitter power supply only for use with customer supplied lamp and switch. Includes 1 foot power cable pigtail, and 2 foot lamp cable.	\$ 774.85
54	3065-LOPRO	Strobecom II self-contained, low profile, programmable coded emitter.	\$ 897.89
55	3065-LOPRO-R	Strobecom II low profile programmable coded emitter with remote power supply and separate light head assembly.	\$ 897.89
56	3065-MOTO	Strobecom II self-contained, low profile, programmable coded emitter with motorcycle mount.	\$ 897.89
57	3065-MOTO-R	Strobecom II low profile programmable coded emitter with remote power supply and separate light head assembly with motorcycle mount.	\$ 897.89
58	3065B-20V	Strobecom II programmable, coded, cordless, hand-held emitter	\$ 1,482.38
59	401-1228-PREHI	Strobecom II emitter power supply only – uncoded, high priority only. Not programmable – this model cannot be programmed to change priority or emit coded signals.	\$ 440.14
60	401-1228PREHIWP	Strobecom II emitter power supply only WITH WATERPROOF LAMP CONNECTOR FOR USE WITH TOMAR RECT-37SWP-C LAMP– uncoded, high priority only. Not programmable – this model cannot be programmed to change priority or emit coded signals.	\$ 440.14
61	All other Tomar Products not listed - take 10% off list price.		